

8615 W. Bryn Mawr Avenue, Chicago, IL 60631-3501 Telephone: (773) 380-9933 Fax: (773) 380-6421

www.CRAworld.com

December 11, 2008

Reference No. 038443

Ms. Karen Cibulskis Remedial Project Manager United States Environmental Protection Agency Region V 77 West Jackson Boulevard Mail Code SR-61 Chicago, IL 60604

EPA Region 5 Records Ctr.

Dear Ms. Cibulskis:

Re: Results of the Test Pit/Test Trench Investigation

South Dayton Dump and Landfill Site Moraine, Ohio (Site)

This letter report summarizes the South Dayton Dump and Landfill Potentially Responsible Party Group's (PRP Group's) approach and results for the Test Pit/Test Trench Investigation at the Site. Conestoga-Rovers & Associates (CRA) has prepared this letter report on behalf of the PRP Group.

The Test Pit/Test Trench Investigation was completed in accordance with the Test Pit/Test Trench Investigation Letter Work Plan (Letter Work Plan) dated May 9, 2008, the final draft of which was conditionally approved by the United States Environmental Protection Agency (USEPA) on May 6, 2008 pending final changes which were completed on May 9, 2008.

Changes to the scope of work in the Letter Work Plan were approved by USEPA during a conference call on September 23, 2008, and documented in an electronic mail message from CRA to USEPA on September 24, 2008.

A Site Plan showing proposed and actual locations of test pits and test trenches is provided on Figure 1.

The objectives of the test pit and test trench excavation and sampling were as follows:

- collect data to assist in identifying the nature and delineating the extent of various types of landfilled materials above the water table;
- collect data to assist in characterizing landfill materials above the water table;
- collect data to assist in characterizing leachate from unsaturated landfilled materials;

Employment Opportunity Employer





2

Reference No. 038443

- assess areas of the Site previously identified as specific areas of concern [i.e., Valley
 Asphalt drum removal area, Valley Asphalt former underground storage tank (UST)
 area (a.k.a. Dayton Recycling), Custom Delivery UST area, Lot 4423, etc.]; and
- identify Site areas, which may require further investigation.

The Test Pit/Test Trench Investigation began on September 23, 2008 and was completed on October 8, 2008. Test pits and test trenches were proposed in locations where the PRP Group wanted to collect additional information about the depth and nature of the fill above the water table. The information was used to verify the limits of fill and to assist in characterizing the nature of the fill materials present in the areas investigated.

Air monitoring was conducted continuously during the Test Pit/Test Trench Investigation, using a 4-gas meter, and photoionization detector (PID). The maximum readings from the 4-gas meter were: 7 parts per million (ppm) hydrogen sulfide (H₂S), 11percent lower explosive limit (LEL), 21.3 percent oxygen (O_2), and 70 ppm carbon monoxide (CO). The maximum air space reading recorded using the PID was 87.8 ppm, which necessitated a switch to Level B personal protective equipment (PPE) as discussed further below. Radiation monitoring was conducted intermittently during the Test Pit/Test Trench Investigation using a Victoreen Survey Meter Model 450P. The maximum radiation level of 42 microroentgens per hour (μ R/hr) was measured during a pre-scan of TP-5. The radiation levels were typical of background radiation levels measured at the Site during Site clearing activities.

TEST PIT AND TEST TRENCH EXCAVATION SUMMARY

The locations of the test pits and test trenches were finalized based on the results of the geophysical investigation and field observations. The nature and depth of fill material above the water table or within the limit of the excavator's reach, where the water table was not reached, were visually identified and recorded. Test trenching focused on the perimeter of the PRP Group's preliminary direct contact presumptive remedy area, as defined in the Remedial Investigation/Feasibility Study (RI/FS) Statement of Work (SOW), and the area immediately beyond the perimeter. In addition, test trenching assisted in identifying and characterizing fill material at locations along the western embankment of the Site. Excavations were completed to the depth of the water table, where possible (as limited by the ability of the excavator to reach the depth of the water table, the stability of the walls of the excavation, and/or the presence of obstructions). When an obstruction was encountered during the excavation of a test pit or test trench, the location of the test pit or test trench was adjusted to avoid the obstruction.

Six test pits were excavated in the central portion of the Site. The minimum test pit dimensions were approximately 12 feet long by 5 feet wide, and extended to the water table, where possible. Test Pits TP4 to TP6 were not completed to the depth of the water table, as the limit of



3

Reference No. 038443

the excavator was reached in each test pit. The reach of the excavator ranged from 18 to 25 feet below ground surface (ft bgs) dependent on surface topography

Twenty-two test trenches were excavated throughout the Site (TT1 –TT23, TT6 was not excavated, see below). The minimum test trench dimensions were approximately 11 feet long by 4 feet wide, and extended to the water table and horizontally to the visual limit of fill, where possible. Where the horizontal limit of fill was not determined in any planned test trench, to the extent practical (i.e., where not impeded by the presence of surface structures, property boundaries, unstable slopes or side walls, buried structures, etc.), the test trenches were resituated or test trench lengths were extended to attempt to visually locate the edge of the fill. This visual limit (both lateral and vertical) was determined by the presence of undisturbed native soil in the excavation.

The nature and depth of fill material were visually identified and recorded. The procedures and equipment used to excavate test trenches and visually characterize the fill materials are detailed in the Final Test Pit/Test Trench Investigation Letter Work Plan and Section 2.5.1 of the Field Sampling Plan (FSP).

Deviations from the Final Test Pit/Test Trench Investigation Letter Work Plan are detailed below.

Test Trench TT-6 was abandoned at a depth of 2 ft bgs over concerns about the unknown locations of buried PVC drainage pipes for a weigh scale pit on the Valley Asphalt site (Lot Number 5054).

Test trenches TT-8 to TT-12 were excavated to the east fenced boundary of the Site. Based on visual observations of the Site surface, fill material was expected to extend beyond the east fenced boundary of the Site, onto the properties along Dryden Road. To confirm that the fill material extended to the fence, CRA excavated as close to the fence as possible (i.e., where not impeded by the presence of power lines). The thickness of the fill material at TT8 through TT-12 was between 11 and more than 22 ft. Given the significant thickness of the fill material at the fence line, the fill material is expected to extend well past the fence line. Excavation of TT8 through TT-12 significantly beyond the fence line was not practical given the presence of structures, buildings, and active utilities on these properties. Additional data with respect to the presence of fill material at the properties along Dryden Road are being obtained through the ongoing Vertical Aquifer Sampling (VAS) investigation. Early stratigraphic data obtained from the VAS borings completed along Dryden Road to date, i.e., VAS-4, VAS-14, and VAS-21, indicate that the fill material extends to Dryden Road.

Test trench TT-13 was not excavated to the visual limits of fill, as it was excavated to the fenced boundary of the Site. A thin layer (less than 4 feet thick) of sand and gravel fill material with some asphalt and brick pieces was encountered up to the fence. Additional data with respect to



Reference No. 038443

the presence of fill material on the properties south of TT-13 are being obtained through the ongoing VAS investigation. TT-13 was excavated to the water table, to a depth of 21 ft bgs.

4

Initial investigations at the proposed location of test trench TT-14 indicated the presence of fill. The location of TT-14 was shifted to the south-end of the fence separating Parcels 5178 and 5177, in an effort to determine the limit of fill.

Test trench TT-16 was originally excavated at the proposed location (TT-16A on Figure 1); however, fill material was encountered throughout the length of the excavation. A second test trench (TT-16 on Figure 1) was therefore excavated closer to the Quarry Pond and extended to the edge of the Quarry Pond. Fill material was encountered along the edge of Quarry Pond, and it was, therefore, not possible to extend TT-16 any further to the limit of fill. TT-16 and TT-16A were both excavated to the water table.

Test trenches TT-17 and TT-18 were extended to lengths of 45 and 46 feet, respectively. During excavation of TT-17 and TT-18, it was apparent that fill material had been placed throughout the area in which the trenches are located. It is believed that this was done to bring the areas up to grade with the front of the property along East River Road. CRA field technicians, in consultation with EPA oversight staff, decided to stop excavation at TT-17 and TT-18, as further extensions of the trenches were impractical. In the case of TT-17, extension of the trench was unsafe due to the stability of the sidewalls. Additional data with respect to the presence of fill material at the properties along East River Road are being obtained through the ongoing VAS investigation.

Initial investigations at the staked location for the western boundary of test trench TT-20 indicated the presence of 4 ft of fill. The location of TT-20 was moved approximately 35 ft northwest of the original stake. The limit of fill was not reached at TT-20, due to presence of a twinned high-pressure natural gas lines running along the toe of the embankment in this area of Parcel 3056. Vectren, the company that owns the natural gas lines, stipulated that excavation could not occur within 30 ft of the natural gas lines. CRA excavated TT-20 as far to the west as possible without excavating within 30 ft of the natural gas lines.

Test trench TT-21 was located at the edge of the area where, in May and June of 2000, drums were removed from the Valley Asphalt property. Utility locates conducted in the areas of TT-21 and TT-22 prior to excavation, noted numerous 'reflections' and potential metal responses. Fill, consisting of sand, gravel, concrete debris, bricks, scrap metal, and glass, was encountered throughout the majority of TT-21. At the southern end of the trench, close to a shed on the property, CRA encountered a drum at 7 ft bgs and noted strong odors were present. PID readings of approximately 307 ppm were recorded in the area immediately above the soil. PID readings of 87.8 ppm were recorded in the breathing zone, requiring a transition to Level B PPE for the soil sampling and backfilling activities. The mostly intact drum was filled with a solid, sandy material. The drum was sampled for bulk analysis, as well as waste characterization

7

Reference No. 038443

Test Pits:

The majority of the test pit samples were collected at subsurface soil depths greater than 2 ft bgs. One surface soil sample was collected from Test Pit TP-2, at a depth of 1 ft bgs.

One or more metals (primarily arsenic) concentrations in soil samples from all test pits were greater than USEPA Region 9 RSL Residential and Industrial criteria.

PAH concentrations in soil samples collected from test pits TP-1 and TP-3 were greater than Industrial criteria. PAH concentrations in soil samples collected from test pits TP-1, TP-2, TP-3, TP-4, and TP-5 were greater than Residential criteria.

PCB concentrations in soil samples collected from TP-1 and TP-5 were greater than Residential and Industrial criteria.

The concentration of chlorobenzene in TP-3, at a depth of 16 ft bgs, was greater than the USEPA Region 9 RSL Residential criteria.

The concentration of dieldrin in TP-5, at a depth of 12 ft bgs, was greater than USEPA Region 9 RSL Residential criteria.

Test Trenches:

All test trench samples were collected at subsurface soil depths at or greater than 2 ft-bgs.

The concentrations of one or more metals (primarily arsenic) in all test trenches were greater than Residential and Industrial criteria.

The concentrations of PAHs in TT-4, TT-5, TT-7, TT-11, TT-14, TT-16, TT-17, TT-20, and TT-22 were greater than Industrial criteria. The concentrations of PAHs in TT-2, TT-3, TT-4, TT-5, TT-7, TT-8, TT-10, TT-11, TT-12, TT-13, TT-14, TT-16, TT-17, TT-18, TT-19, TT-20, TT-21, and TT-22 were greater than Residential criteria.

The concentrations of PCBs in TT-7, TT-9, TT-19, and TT-21 were greater than Industrial criteria. The concentrations of PCBs in TT-3, TT-4, TT-5, TT-7, TT-8, TT-9, TT-19, and TT-21 were greater than Residential criteria.

The concentrations of VOCs in TT-9, TT-21, and TT-22 were greater than Industrial criteria. The concentrations of VOCs in TT-9, TT-20, TT-21, and TT-22 were greater than Residential criteria.



December 11, 2008 8 Reference No. 038443

The concentration of dieldrin (pesticides) in TT-9 and TT-21 were greater than Industrial criteria. The concentrations of pesticides in TT-4, TT-7, TT-9, TT-19, and TT-21 were greater than Residential criteria.

The data presented above will be used along with the data collected during the other investigative activities being completed at the Site in the formulation and analysis of alternatives in a Feasibility Study.

The data provide valuable information regarding the extent and types of waste present at the Site and will be used in the FS to verify the limits and types of fill for cap types and dimensions and to provide a range of suitable cap construction alternatives. A fill map will be generated using the data from the Test Pit/Test Trench Investigation and data collected during other investigations completed at the Site.

Should you have any questions on the above, please do not hesitate to contact us.

Yours truly,

CONESTOGA-ROVERS & ASSOCIATES

Stephen M. Quigley

VC/ca/51

Encl.

c.c. Matt Mankowski, USEPA (PDF)

Matt Justice, Ohio EPA (PDF)

Brett Fishwild, CH2M Hill (PDF)

Scott Blackhurst, Kelsey Hayes Company (PDF)

Wray Blattner, Thompson Hine (PDF)

Ken Brown, ITW (PDF)

Jim Campbell, Engineering Management Inc. (PDF)

Tim Hoffman, Dinsmore & Scholl (PDF)

Paul Jack, Castle Bay (PDF)

Robin Lunn, Winston & Strawn (PDF)

Roger McCready, NCR (PDF)

Karen Mignone, Pepe & Hazard (PDF)

-AMMENTY OF ARADYDEAL SOME RESULDS 2008 ISSUPTIVIES CREEKINGS STREAMON SOUTH DAYFOR DUSIT AND LANDELL MORAINT, OTHO

			toget con-	10.4			15.	100	17.1		<i>10</i> 1	46.1	16.1	40.4	te t	10.4	41.5	41 -
			maple 62*	- press to real \$3.00 mp.	· districting type off V717es	 Bett metalle state met Metall metalle state 	- MIN. 84:180 KAZE 80: 97:4200	~ Deep a Call Last Bes Vigine	4"10"	- Marin or had a 1990 age.	· MARKATON AND AND	n Speel de lans A.Sys. jake 1974/2009	AND SOUTH AND AND AND	- PRIS NAME AND ADDRESS.	CONTRACT AND AND	- Maria a camera nos dos	- Meth 1980 374 974	- WITE HAVE 1 118 BY
			Amages Date Seconds Days	2.00	1.8	2 (1 de s	U.O. Bus	18 844	171.00	1 of Aug.	A THE BUT	11 12 160	INTELS	904 Jahr 3 pt 860	1011 544	7.510	معاريبها	171.8-1
		دستورو																
		Rendered and	falados tel															
P. 9 may 1-2	U-ru		· · · · ·															
alval, transmit																		
, a a log-pg resiliance	ية ي	****	Printer	170	*. 0	****	191	4817	10	***	*.e.	y	Public 11		16.55	• ***		154
1 1 Car Calcar Many Affrage	- N. P.	100	: 400 Name	120	**P	100	141	110	* 14	110	100	***(1	100m (* 1000 (*	117	n t	•••	ages ()	411
, a a registration	our high	1 safe Nation	1700	. 11		580	179		*11#	177	1911	201	inger (110	11.			601
1 t (A thin to place	19 14	COM	1100000		.10	****	100	141	****		100	711	I Mino I	0.2	117		W (100
pi distribute	44.5	(79)	-	1.9		****	****	440	r '		1791		(made L)	11.0	15.57	****	31	131
(a linear traderspoor state to	44		3	1617	14.0	1411	911			****	H40 T1	7419	Inches ()	100	a tr	1+ 0	1100	* ***
A Date of the Control	44.4		179	3,4	+410	***	4-1	***	****	69.0	190	7019	amon (r	11.0	n to		W -0	450
A De Buckman		Harvet	1-0-000	1 4 4 4	* 4 ***		-411	****	•	1411		****		0.0	41.0	. 157	pi i	40.0
, 2 1% Idea of Games	19.14	i'e	1 '00	5.19	4.47	740	100	***	# Y LIT	191.	Q#11		LARGE (111	11.6	4-11	40.11	***
and the later property and	- 'T		~	.10	- 199	***	- as-	4*10	****	****	San In	M-13	(Magazi)	19.97	105	- 11°		151
g * d he tales electrica estat	19 19			120	•20	1411	-111	101	141	411	1982		ppen i · · ·	0.0	110		et	451
1 - De rées desserve	19.50	1-2-	1.000	10	200	111	10	100	40	101	120.17	101	7001		61		n1	119
, Paramete (Matter) Filter bertauer	res ha	-		66	61	at 11	#17	1910	411	2011	1941	Design	*tebeli	41	DV.	r!	1 part 1	221
g biological designation (blocks) (colours (because)	19 14	1-000	1,00000		25.57	3.0	M II	1-11	40	et!	1001	130113	799411	4.0	1531	, u	/ Jane /	1017
(billiot : I messelve (bistin lastice b. rauer)	4 4	-	*******	70	***	- 01	a t	(*1)	w.ca	aet:	1000	190-17	*:ees*	1017	111	(-1	1491	211
Bresse	14.34	1100	lead .	110	• 11	****	141	140	P3 14	410	61	411	Pade /*	11.5	10.00	• • • • • • • • • • • • • • • • • • • •		***1
Name of the second	ue he	1 stept	-	4,10	*:0	411	• • • •	44.0	45.4	451	1407	⊷ 11	IMMON 1.	400	0.7			440
Browley'		41000	Livere .	5:12	• 11	***	***	4.657	#3·UF	4.50	120.11	Pres 1	LANGU 17	31.55	14.67	4.40	— 11	451
paragraphics (Marks Service)	14, 14	:-00	15,000	1217	* 1 17			440	**10	1511	191	100 LT	pages 11	0.00	0.9	-20		411
, arter April ale	4c	-749ye	Sillipping	1211				4411	*****	4.41*	3 m t/	******	(Martin)	44	15.0			151
, spinster by a Market	** **	/50	198	• v	* 2 P	1611	4.41	481	9413	411	· • (·		(Pade 1)	10.00	n tr	F411	-pe 11	4511
, likeringens		Total	140000	* 711	440	-611	441	**11	*****	111				1 915	0.0	4.40		-
c plane in comme	**	-	· budger	120	** P	-41	****	145	**17	189	141	H-17	Seems (-	11.0	4.0		man to	4211
C physican I in his propincy	ing he	***	140	4, D	4.99	7811	440	40	110	144	144 C	7917	19abr 1	400	1411	4.00		140
ر Abraha (Alebert باستونیسوردهان)	14 14	1700	1000	5,0	* 7 th * 7 th	***	140	410	F 1 UT	410	100 P	74(1	India C	0 P	0.0	140		(5)
Part 1 & Delighbert States	re he			100	***	701	***	•••	4518	111	1911	Secret		0.0	0.0	1917	-	430
the Lambachestern	19 4s	104	VANDA.	INV	us.		14.17	••••	171.9	****	71	71	Methy I?	711"	70.15	NIII	:41	171
Control of the Control of Control		-	410%	579	6.0	41	1.000	445	41.09	440	190		I made 1	12.15	0.0		-	
De bereicht ermeiner if R. 111	**	these.	2400	5.0	*217	-14	4.417	180	-315	4411	WV C	Pe 11	Pode t	110	n.t.	•••	No. (1	437
Edit January	75 14	3700	1986	4.4	****	- 611	4411	181	****	490	151	91	HARRY.	13.00	10.0	•***	100	E
Later and the control	**	124940	1104040	52.07	* 4 * *	- >1	+41:	4.01	** C/I	1411	~,	~:1	Header 17	ne	1111	4.11		(4)
alt-Bot ar alas	on he	*maker	14-04000-	te M	ate	H L	1. 9	***	ru.	****	:#1	1-0-1		250	21.0	H U	·=1	4.0
Lepsi, a blance	are to			ig U	14.95	10.00	1419	4-1	17.18	****	191	II+1	**************************************	150	41.5*	117		**
Andre I Ter Barri Piller	18. 14	1400	1940	:10	nu	,au	N U	140	***	100	1 40 U	110017	TORRO	•••	140	~0	(Jet U	1811
Aprilla lagar a bibared*	- 14 hr	1100		529	640	1×1	401	****	# T T T	440	12617	-011	Profession (Control of Control of	0.0	100	(5)	age 11	63.0
2/mon	ne he	-5 minus -5 minus		110	61U 62U	-40	***	441	1701	440	129.0	7-1	Table C	110	113	. *1	4011	
[, it as bits restlibute			interest	3,0	*21"	-41	645	151	410	199	41	91	India.	611	121	•10	411	42
(charge	19 40	1000	'200-	1.0	1.0	- 20	24"	440	****	**1	120 C	-	14441.	1137	110		W1)	er.
game to the Married with game to the sales opposite	15 14	.,		1.1		- 10	440	100	4.14	4.41	Mer	2015	(Perket)	11.0	119	149	100 E	100
From 1 / Em reproductives	18.14	-	14799	110		***	4.40	480	4.14	410	1207	-11	1984	0.0	0.0		10)	150
1/2 Mars Date (Section 18 19 11)	4 4	Marine .	YEARY	*100	*	-41-	***	400	#518	1.0	324 U	P=11	Hanne 1-	11.77	ue	•=0	- 1·	4517
Harman House Bear (house at)	15.14	1 water	-	*210	+2.0		• • • •	6.011	71	141-	190	1419	(APRO 11	19.37	11.0		wet-	****
, anything and	- 4	•	COM.	120	*10	-417	410	440	FAU	190	120 11	~1 19	HARD T	15.00	8.0	440	may 17	***
, less travels				1917	1217	36.0	40	****	17.19	****	:=:	3401		211	147	14.51	i des	1.

TABLE 1 SUMMARY OF ANALYTICAL SOIL RESULTS 2004 REST RECYTEST RESIDENT STIGATION SOUTH DAYTON DUBLY AND LANDELL MORAINE, ORIO

			nangir (na disen nangir () Sangir () dis nangir () dish nangir () dish ngang () dish	2H j Garef Milar Breside 92PTate 67 Bull	FIG.) C Biology 2000 - page on any principal or any self-likes	a to give Partity and they bette and \$4.0 Pertil and \$	Types Consist Protest NATA des REPORT Consists	TR., CHIAN MANAGEMAN ATRICA FEBRUAR	FE 2 S graf-office (SFV op- 9740 me 11 aus	Fig. s Carefully and Artists and Marcana (Million	Fig. 3 - Mala all companies and Planta a	Sp. j general der gar der fermale 100 gelder 184 geldere	16.5 1 Mer-delen 5210-eri Wegen 16 febe	FP 4 5-20(1) 40(200 p.2(1)-0); 270 200 3 (20);	ngale September 1971 bill September 1972 bill 1972 bill	mg is gen ag agum maine maine mais mis 1124	CIV-9 - Males Salver (2/11-80) 10/1-80-4	FP-1 ~ \$4445 (2000)*37.0° 0 is 100/2000 67/2-864
		A - early agent agent	State and find															
Parameter	u.		rima P															
See Laborate College Aggreement		•																
2 C. or Mail Commercement	يها يود	1400	7 mg	119.0	upt-	Light	Qe I·	tjerr	4441	tag tr	7ee (May U	67 1 (4	eres.	1607	1400 11	1-0-1	pad til
2.1.1 Tacles reduced	198.50	s i tanget?	1-10-Market	/m-c	19 U	1960 1960	aper Cr	164 tr	AND U	THE U	electric control of	Roar D Day 17	1990 3991	lear to lear to	176U	19m (/ 19m (/	West Ti	100 U
) i la latendaria) i la latendaria	79 Se 10 Se	/ agent	100000	1-61) 147 (:	170	ide n	NE U	1661	248 U	INC	€ ee €	Ow U	190	Later	179.0	WG U	100 0	red C
a a Committe (plants)	og Le	126pone	11006000	1-0 ()	(Pet)	l⊕U	The Li	lee (I	1 6 0	17910 7960	1000 Tr	Name in Projetti	140 tr	Sept.	17941 1780	*0\$11 1860 U	**************************************	144C
3 6 Chestopheral	***	Caste Liping	1 Transport	است ن مادون	190 200	set:	P Centr	%00 400	Note:	400		New C	1491.	THE C	Tests.	late to	* see t	neV
1 to Characteristics	rig in	-144	-	:10 ()	29.6	See G	See V	42417	79.0	EPC .	was to	New U	****	-24 1	<u>- 1</u>	1,700 t 1 194 1 1	ter (t	21841
معطمه ومورون - د	HE LE	C. 10040	210-000 Libraria	45 qu	****	W. E.	40	***** ****	70	C0	HAT U	Page 17 Face 17	*tu *ej	ny	4 0		13040	410.
2 (Harry Land) 2 (Spanis and Hadra	ايو لو او لو	11,000	1000	10	14	le le		*10	uv	15	1941	1917	Ag.		1347	129	1700	7
/ A Lette Spirmen	18 No.	1000	-	*2011	(Mile)	See 17	tert.	tjeti Aut	ton c.	200	Name (* Name (*	400 L	141	126 () 136 ()	741	Long I	Same Co.	nest nest
Mary Colored	ne te			780 U	1-t	and the	Appril No. L	201	70	14.0	15 m 11	Head U	64 U	****	40	wv	1981	N; W
· · Us his river bugs	16.17	Li~		i le u	.161.	160	tant:	tiet	-	1.0 U	Alle I	Court !	line e. Topie	- 12 1	201 1401	-parti-	page 17 Notes 1	2041
1 Sancardon	ng tg ng tg	1100	Z:MI	.aru Ingu	, T. (انت. ا••• ا	ine tr	2141 1441	tre c	1991	5.46.11	104817	-911	Ted 17	1 41	•	196, 11	194.0
i o Daniel I methylphone i L brothaphten i phonel silen	19.14		-	110	75.0	4.17		36.71	71	14.0	rest to	leaf if	5.0	M 21	**	1001	1 May 1 **	No. 64 New CO
[Phine - America bytanes]	**			140	(34	P6.11	less*	leet:	2481: 24877	170 U 170 U	6/8/11 6/8/17	Agentia Agentia	Pages Pages	ind (* Ned t	1991	401	Mark 1.1	
a t laker dealers C sprengleren phonest spec	19. hg	***	27.480		4711	10.0	-#-ti	38.11	~ ·	W11	read t	1447**	4111	***	40	304 (1	1941	*2 **
t State Whereit	HE NA	"Lease	1994	2 00 (a	240	Set 11	'are	tier.	igen. Nati	22011	NATE:	Special ()	79 (1 19 (1	(20 t) (20 t)	_90 P	(Pdo V	NAME OF	ner.
a representative	** **		E-100	SALU SALU	1981	14011	Ale t	501	590	TRU	ener!	mark r	· · · ·	****	Ter:	2441	ANN 17	•••
* Mayre 119	15.00	4 500	· lauddor		*\$1*	*at*		*10	ue	. 117	140 (1 - 0	1.0	- 14.	140	al 1 erc	C411	***
u apagitelite lesse	* 4	Paul	:	11019	74 p.	140	tor.	net.	ight.	1101	and t	dage 11	Day	1101	met:	-e-t	; mar (*)	100 5
(proprietates	19.44	Camer	177010005	4 4	• • •	4.1		414	101	e e			No. 11	10 (1	241	64 C	product -	
Wester	4 4	700		ings.	DE11	A-811	en tr	gen ret	1.41	00 C	Seat 1.	Special Control of the Control of th	1941	.100	1:01:	1700 (-	100011	100.2.
Prop. additionals Prop. vi. a. and a street	19.17		100		200			. 5	44.41	1	300 L	199	128		164	# U	(541)	Ľ
Bencelaporter	19.14	15	210	age.	200	110			44.51			: 14011 1460	· · · · · · · · · · · · · · · · · · ·	j 15	, in	***	reti Peti	
Percent agilian medicus Percent gill approxima	re be by by	rie .	210	79	140	***	1241		nt nv		* <u>=</u> *	14611	~	11	4"	■ <i>V</i>	e e tr	ř
Annual States of Contract	3.5	150/	71459	70	240	440	4	n	ne.	n		1 9 0		-14 Wo	4	Marin .	CALC.	
Agrant I	79 AC 19 Au	"Novel"	· paraties	4cq; 1969	421. 1/41?	es (* Tao U		the ()	en C	100	AMP (Saper L'	60 F	100	100	401	54015	egt. tantt
had a barrer Deriva methode had a Caderrer United to	14.14	1.4	12	F let pr	10411	1911	1,41	1,011	page 1.º	net	2000 11	Apre U	129.0	1400	(IPC)	-40 tr	(4001)	100 57
han ; s'in the estaphentales	re la	" and	12000	N.D	57 (r 67 (r	41	ist ort	# () **I	70	(c)	164 C	-: e#	W!	55 II	W0	(44) 104)	2100 C	m 11
Pract Seeds by Chapter Captalaries	14 14	340040	A. A	es pr Jegori	(20)	100	AP C	14 0	100 U	terr.	Set !	And to	140 0	3 44 ()	C I	, and the	# MARK 11	u ti
· water.	14 14			4.1	47	11.01	-41	*5.11	50 00	20	Mark.	leas U	64.V	14	ų.	100 f	1961	E1'
Colores - Gentles - pe	15.14	1944	71 magu	17/00 44	- 11	10 10-10	14	-10	11.0	146	: 1440	100	77	- 70	*10	we.	179.01	
Delegation as-	15 4			77.45	57.64	45.41	-011	w.u	~1	44.0	Table 1	Team!!	4P	*H	514 No. 1		I man (r	1771
Derthet philisters Described philisters	19 Ag 19 Ag	1 Property	1-comme	~ u	4- (c) 4-12	40	-#-C	44 (i	70	40°	AM C	ryan 11 Coul II	201	w ₀	40	New 1"	1704 17	90
Octobra production	4 4	*110000*	-1100000	***	1791	45.07	en tr	14.11	***	S1.	n= C	Leaf U	44.1	***		90011	100	en.
Daniel at philodeles	**	1 Copper	::0.00	N. C.	97 U	N.F	# L		- v		100017	1446 U	R(1)	•••	178	100	476	
Flore at 1999 House	15.14	2344400	200000	•,	**	•••	11	- 16-	av	**	1764	-	teta	790	- 54	10 0	4.00	***
Linea life albert Cetta		**	1100	146	4-1	6 r l	40		70	140	per to	yest? read ()	7/1" *101	*1 ₇ ,	*- ¢	po (*	pract place	*** ***
jerom iggeskoljidanje Etrom learer v importuigaju	7 %	1.00	- AT	No.	194	F-9-1-1	• • •	***	200	401	~ * .		* #1	1441	****	1984 11	date (*	q#s-
Hera Mercelliane	15 K	1964	12700	ne	17.11	411	at t	1811	40	**	190	Hart's	w.t	10	41	ter ((10g 7 ·	9P
endone (6.14 Alphonym tropheron	re he ny h	11000		1521	4-11	441	40	¥ 11	76()	w t	page 17	1400 11	•••	****	4.1	940	1907	41*
Name Andrews	19.54	****	19.000		ti .	••	i i	***	27.17		(40 € 	(*) 2001	170	Line:	420	-001	Last II	
, dynamiczne Na Augustalia w przystaniejs	-1 iq	100	. w	tuesr Note	10F4-	2 MPT	1,411 1011	Mat.	701	101	100 E	200 T	9/17	55.0	40	man by	y New Er	39.5
"s radiosarke in propi target	14 14		19,000	55.0		1417	4011	****	90	No. C	1400	High I.	6411	W (*	M 11 Call	We 11	1500.07	61.00
Protection place;	**	-		ine u	101	14.	10, 1 ··	1641 3	resti 1655	176 U	e⇔u ji⇔	2100 M 2100	Mari Mari	1001	Get.	11	ales III pas	, and 1.
Parpuritarine Financia	**	100.00	194964	V.0	Ep.	,	er 4.	80	70	Salf	page to	pear U	M II	411	40	100 17	(461)	Q!
Frank	44 M		1.200612	'1 e	15	19	:•		u P	-	1444		719	24	129	116	-	•
								~										

TABLE L

AURIANEE OF ANAETH ALNOT RESULTS
2005 DEST PLAY INTERFED INVESTIGATION
SOUTH DAYTON DUMP AND LANDELL
MURAINL, WINT

		Japani v Emilyalisi Wal	Namel al vario no Namel a ID Namel a Esta Samel a Ingel Indiana a Ingel In	TO I market moral And, who specially declar	THE I CONTROL OF THE PARTY AND STREET OF THE PARTY AND	To dist. In the state of the s	Terri Sport and Lary Mil William William	H	A Strain Strain Strain Strain	e de est anyament (en de) Biografia Est disco	11-1 o Service em para porto della 1912/2014 al 17-20/3	See of Bose See of	ie i Siege bezie fare am Biezebe Gezeffen	in q wild gather all skale of, by the Surface	er e Singly become kare bet bestiken Turniken	175-1 ~ What Products 277 dig 27 sylven 18 s.y. Bus	(II in) Copyright and Just and International IZE acid	a the Block Control (1995 age 1997 ag
to approx	quer.	77	1															
annut.																		
trans.		794		***		1.1	1548	. %	410	اداده بل و	***	17 86 15 1	441	1850 - 617	120	711	1776	.79
Variation (-16 75		11 /	77.				-				-	100					-
Parmer	ne M	1000	,	4*1	19	ns 20	**	M.7 FM1	1.1	9.5	100 1 0 1	j~• • Thi	#5 131	174	164	1 Mary 1	***	450
Providence Ladjanus			417	# (P) # (B)	***	1 11		*111	• 2• 5	100	• • • • • • • • • • • • • • • • • • • •	67	131	te-1		1.1	141	A 24 1
calcress				C-M	100	1846	• ••	w/w	112	Super To A	547ma	****	Į.··o	e e	1-44	rim eks	180	1,750
· boungam f = d	12 16	بم	_	**1	.001	.181 511	15.01	117	• • • • • • • • • • • • • • • • • • • •	11			ii.	411	*.		100	411
t which	140, 141	VIPE	1144	94	**	4.	***	114	91	14:	u .		9.5		**	**	-171)	e 1
les en	mer he	11000	7,9884	P-3	144	1-04	12.5	1796	eque (a.t.)	14M	14		11. 701	171	1 4.0	77	7.	21
teel	reg PE	***	-	13 J	***	eri Per	lum.	1000	471	11.00	11-44	1154	42)	5.7	141		7.00	
Nagerous	- 14	1994	2 4504	u.	***	D.	.~	445	** 0	₩.	•	w.	ari	40	• •	₩	1471	.#1
Mercey	H			****	Fer 1	and i	**************************************	17.6	# Pa.	1001	4 Pod 1	1 mm)	*170	110	113	617 513	#:4 701	+100
Nesel Jetanes	g bg pay by		-	(re)		1.0	-	~	1194	Na.	145	434	701	1491	-	***	1266	(9)
- Interest	mg FE	~	1/EP	F10		1.0	171	2500 1110		p. 41.	27.11 47.01	1201	17.0	254°	110	4-1	1.1	1481
Name .	ng by mg bil	~	1,00	110	111	****	4021	stet.	510	1651	191	14.1	1-1	290	441	971	1510	12C
Terlines	2.4	**	•	*15		2.0	11	#17	***	# 15°	• 1**	171	***	4110	·r	* 1-	***!	4401
1 american		*** 2004	- 345 13 45 44	441	201	41	•	171	#*1	10 d 47 a f	184	22.1	154		4°1	ire;		6.4
/am	- M		.,		•••			,	***			• • • •	,		* '			*
CARLO MINISTER MINISTER	, e 14		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	• 1:	1901	int.	gau I ·	-0	C.P.	91		••11	W.F.	ust.	er.	m.c	in t	at:
under 12 to 12 F 1-24	og 11 c	Pe.	679	No. pr	1 ms	1011	19811	• 0	500	er.	***	40.17	** 4-	14.1°	e (-	## (* ## ()	,164 (*	u.
Owner of the Art. No.	14 M	174 279	-14	No.	1901	760	rest:		6-D	40	17 to	4-1·	****	14 P		pe t;	****	. 41
see her 12 (24) v (b. 42) at see her 12 (84) v (b. 120)	15 15	LS		44		7.2	.74		QP	er i	r.e	46.0	***	No. 11	*-1-	es tr	. #**	411
New Ser. (1944)75 B. 12561	19, 14	20		See par	49.1	Tie (1980 	% (1	5.00 CI	41.	97 U 1187		***	14 F	er.			. 34
under Charles Con-	14 H	E9		5+1-	lw/	1-01		т	er.	•	Her	411	***	4.	e.	• • • • • • • • • • • • • • • • • • • •	1000	u.,
Ecologica			-:4	ri i	>1 '	Let 13	are to	****		pel·	***	311	30	70	w1:	uv	gen.	141
14 PER 14 DEF	14 14 15 15	190	1980	***	91		•••	•••	170	• 41	411.	40.0	161	41	177	17.5	2241	10.11
EL SOT	14 34	1700	- (64	414	∞ ()	11014	Held	1117	.114	e-11	***	401 (40)	311 310	27 C		n es	ente zarti	pr-1
dans April 1946	re he	·-		#10°	\$1 \$1	tiet:	ion t	110	,-10	1-11	45.0	260	28.57	37.0	#1·	110	2.00	pe 11
al la Chinter	ig le			*151	~··	444	HOU L!	140	rep.	1-11	***	(40)	31.0	***	411	11.0	4041	pl 11
Serie BOST	-4 14	2.0		****	×0	ise:	1917	****	170	1615	#1:- *11:	200	341· 381·	**** ****	W11	n v	Sel.	pr 11
Artic Bill Debits	15 M		128	T-U	×0	Parti	10011	****	270	ier	** (*	244	30	r.	241	610		p.0
Epularishian I	ig He			**************************************	**!* **!*	lyan- lyan-	1001	110	.70	141:	***	260	28.0	17 1°	90°	n ti	right coll	pa 1 ·
Epopulari (Bara) Ross (Amellia) (1 pril) alla	- 4			*11.	- · · ·	100	100 (1	****	270	14.0	10.07	21.0	***	e-t-	■1 *	n.c	e.atr	1411
tombre districts	14. 14	1000	Person	₹ 14:	~	1007	Ive	***	170	(et-	****	.40	1511 (6.01	***	•10	n 11	E=1*	1811
	14. Ma			ener •••	***	Het-	ier (• 54:	278	144	45.0	2417	200	20	= 1:	0.9	22637	(A.C.
Andre Josep garrie 1947 (Laufer)	14, 54	100	2100	700	No.	fser!	17 004	• 147	, *19	p+1:	#1°	2417	200	5-11	• U	800	1960	p= 11
gamen Chierten	14 14	110	-	10 to	***	No.	Mark C.	430	:-0	(**)*	90 E-	417	30 30	71 T	₩ t-	4 t	201	per s
Hayta litte Hayta litte spreadr	4 4	11.		- P	***	spate.	100-11	***		jes:	#1.F	2011	20.07	10.61	₩ 4*	11.0	2011	jet:
Age Burns risks	ig le	31 0000	James	IAN U	19911	31031	2001°	13.19	11-12	70	198 U	W15	10 (5) 11 (6)	71 CT 150010	*CC 100 E7		O(0	at: •#∪
(r- uplan -	ag Ac	-	-	Trans c q	-	44014	8411	444	Herd	•	******	40.7	100.51			1	 -	
Mediante 2 % 1T Oslovi	10.70	(*****	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Σņ	at:	no.	24.0	2.0	1:0	90	20	20	191	p.o	240	201	(41)	40
2 t Delfoughtun-twell and LLD	44		7-0000	F 11	310	100.11		#U	1411	-0	20 (-	11017	est.	#15	417	-17	100	***
control - largers for																		
Cymrete Midy Teid while	und ye	Less	_	* 16 ()	**************************************	*45.1° = 4	****	****		4.	10.0 10.0	114	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	11.6	# T	A) E	7.	23

F Entered

K houseles!

I (deposite to all affices sales) a

(O I required emperiment because

Page 4 of 15

TABLE L SUBJECTED OF ANALYTH ALSO LEFECTS 200 FESTILIT/TEST FRENCH IN CESTICATION SOUTH DAYTON DUBBY AND LANDERLE MORAINE, OHIO

			Comple (= 200 m magnic (C Georgia (Core manusir (Cope)	En u - print and a side of a Selection (1) a flow	FF V STAND (MANUAL AND	TT 1 ** MEAN MAN MAN AND MONEY AND	CC 1 C North Holland IV Blo STATEM CO II Blos	FT : - Strap athen to the size grapher prilate	F SHAP REPARE CHARGES	TT 1 ~ Made attend and second 9:200 miles Lordina	NAME OF THE PARTY	(T) 4 S-1648-R-MILLAND (C) 1 B295-RP Typ BCP	17-4 - State State State System System	FT 4 • 10 (15 MOVE FAIR 626 979 740 • (17 Mos)	27 4 S Brid-Belle Early 227 B252544 177 Bos	17 L ~ In his delegacy Astr 438 97392886 387180-	77 . • 2011-0-000-1317-0:1 • 2010-0 • 77-8	e processed and a second and a
		Represent to a Residential tool	remaj (ree) (ministrativo)															
Partners*	Uera	Andrew Co.	And the															
<i>p.</i>	• • • • • • • • • • • • • • • • • • • •		h															
Lettle Street September																		
I I I fin his we have	4	****	100,000	110	420	(10)	4-11	-7.1*	40%	1917	7941	***	410	4511	4511	150	*41	-20
11 i i fehafter ertlan.	16.15	***	: ==	- 10	410	110	140	5°U	1=0		7*(8	#1U7	.10	160	100	110	6 4 W	** UP
1 3 1 Trainformations	14 14	i led	5140	7.00	4211	4.0	***	570	180	414	7419	• 11g	4151	410	400	520	F 4 4.	*111
Peridental	14 14	Lagra	Ç m	110	4: U	OI .	110	970 970	180	14 U	7+0 710	410	110	440	110	510	440	•10
11 (a secondaria	19 34	PARKET	110000	7717	4*ti	1, 6	1-1	1-0	140	16.01	140	410	110	110	140	140	* 10	*10°
1.3 Fibridanius (co. 1.3 Fibridanius Coldenius (compressous au COPC FI	14 Mg	•		150	111	110	****	117	740	;	14.17	16.0	12.0	120	***	11	00	J#19
13 Discountings (Ularica Discount)	ay be		17	1.00	620	100	4.61	· · · e	144	4.4	210	*150	*10	1411	151	126	*19	-11
1 De him - Longery	ie la	10-0-01	LANGE	* .v	416	150	1.17	471	145	r	1.17	4110	*10			480	***	4419
: the life, and age	14 14	110	1280	- 4	es tr	110	****	3 - 5"	100	to LT	7+0	410	610	***	4.01	320	*40	*20
1.2 Th Marganyan	14 14	••	170	2371	4319	450	****	470	1.17	14.04	791	•111	*117	140	140	5.44	*10	****
1 1 Webber eterogram	14 PE			110	42.0	650	1+0	170	100	•	140	*107	-10	140	140	140	*10	1110
j j Peliki strajena	14 kg	1-40	- upp		120	14(1 10(1	1-1	200	W-U	80	120	90	.10	191	140	110	7.0	C.
; paramor (hielded kilo hemore)	ng he ng hi	3000000	-	20.0	170	M C	P.U	P-1		# LT	911	911	200		100	11.0	6.0	171
g processor g product of Papillary and abbattle () and served in course .	19. 1	1-PEO	-/8404	*11	ee.	101	(1)	p i	15.5	411	22	w.t-	.51	440	19.5	n.	244	424
	4 14	2444	******	***	17.5	d s	19.71	atr.	10-1	411	100	at t	24	14.0	191	ar c	45.01	.**.
App. 4-14	9.5	119/	-	7.0		* 15	4.41		107"	11.17	7 0 U	*10	5117	1.01	4.41	3.181	*10	*21
Bayer with Springers with any	14.14			*10	425	4*1	150	****	4411	W-11	141	-1.	411	1905	4.41	****	+411	* 4 * *
Equipmed across	15 12	*14-4	E:404	110	1.0	150	140	47E	1411	H17	****	F147	-10	4***	141	1.00	****	-20
process with the Chief of Brown P	10.74	146-	- Martin	. 1	4,1	120	140	170	1.11	1415	140	410	410		441	510	* 117	-11-
, gibro desaltalo , gibro della dilipala			140	**1	410	430	110	4-P	107	1014	***	410	410	4411	100	120	250	140
, gate in others		1604	-	*	1471	4511	117	117		6.0	110	****	110			1.11	110	*10
, periodica		(Server	· (Subpage	144	121	4 * 1 *	440	170	4.00	14.15	***	410	¥110	145	4.45	191-	*112	+21:
(protection) in the contraction of	· · ·	-	198	110	1.0	100	140	* * V	141	14.17		*10	****	100	1-1"	110	4.11	+21
e fige mermelbasse chilesto La Bassade -	14 4	1799	MR	3.81	47.0	1517	4.01"	177	190	1478	140	4117	•11	1415	1011	5311	• • • •	-4.0
, or 1 of the Millers Bress		***	1-market	- 611	***	(3)	4-4	17.0	401	14.19	-10	410	*10 *10	1411	170	110	***	4111
ris (* De hierspropens	14 44 15 30	7900		110	42 ti	140	***	0.0	111	5.15	161	1-1	40	*21	1717	100	10.7	iel:
g ay belon save	14 14	1904	/1.40	7.13	122	100	4.01		100		1351	100	119	1411	4.07	5210	***	***
Experime Marriagon (Laborator Marriagon)	19. hr	1700	-	-1	1.1	512	***	57.0	140	n.ti	****	*10	*10°	1910	(40)	5.86	4.02	-10
14.	19 10	******	Per	110	4:9	130	**V	100	reti	te L?	7417	1117	•1 b	441	440	:34*	410	*21"
langue pe Services	per his	714000	110.000	*10	12.0	(1)	1+1	F. 6	1911	14.15	****	#115E	411	4.03*	1011	530	*11"	*10
Admin's or state	* 4	- Transver	1+40uspatin	ne	110	*10	****	n u	100	66	160	ieV	170	170	170	110	ot ou	,ets
مستحلط در الطوران	4 4			150	671 T	*10	*10	an pu	**L1	40	1-0	100	:10	147	110	กง กบ	60	70
Abrilio 1 Tory Bullet Filler	46.74	1100	14460	.eu	110	110	(* C	V-1	1657	n:	7317	110	110	111	1.0	1111	****	****
a testa form - I decode way no	79 Mg	1100	Water	500	170	101	447	1-6	449	0.01	7918	****		140	440	****	***	-17
(all properties	4 4	7.	2700	*10	120	100	1.0	4.75	100	14.15	7915	*115	-110	4 4 7	140	* * * *	*40	417
fagete	- 4	10000	Lunctown	1311	15	154	1+0	41.6	-251	1917	***:	1101	•10	1031	140	140	4.19	471
Name of Address of Concession	4 H	111000	40004	130	#49.1	.11	ret.	470	440	P-14		410	*10	4.44	4411	510	*4*	+110
tand 1 t Design open years	· e le			.10	4;1	110	** L*	4.4	446	14 (4	**17	•117	•110	100	1841	100	4 I I'	*211
In the method	H N		14000	516	***1	151	4-1	4.1	4612	1111	140	*16	ert.	191-		110	161	1-1
tie presentation of the sta	140	areas	i statility i to this to get	110	477	130	1-0	4*2	140	14 19 19 19	****	•10	110	127	100	2.00	***	-/-
Employ telephonomical property (\$100) Completed	19 14	1446	120	110	***		100		147	14 U	- ***	410	110	100	1901	140	*10	- 11
Charlest -	- 1		240000	100	111	112	(1)	0.0	4 94 1	2.0	w CZ	1615	Hr.	*10	170	11.0	D.C.	1011
					***		.,		•		•							

TABLE 1 SUMMARY OF ANALYTICAL SOIL RESULTS 2004 \$5-51 PLEZ TEST HER MET INVESTIGATION SOUTH DAYTON DUME AND LANDER I MORAINL OHIO

		diagram of	A magale is a sign on Scringels (file) A magale (file) Scringels (figsth	This selection of the s	EP u u Spage profesti ti kay yay Betu Jene Shiri Bius	id i v gryss geneti Astridae grysse y w bun	17 : ~ In the model East dist organism (1) dist	CL - S B GS WORK (2015-02) SOUTH EQ FOR	11 2 to great in problem in contract of JAN 401 in contract of the first	10 1 • Section of the bills of a subject 10 Section	HEALTH AND	Tally y Mesh deltha alam sala glatinar 1 pr Bus	o Seconda de Paris das 1973 deser 1973 deser	da kin Aarine Aarine kin Aar Aarine kin Aarin Aar	77.7 Sangt ersen kalit ett gregne 12 vilkes	17 - Great Papello Laiff Rie Brigheid Hijn Bur	2 Males - Males and Males and a sign 19-1	TE STATE OF
	u -m-	Residents of Head																
Parent :	4																	
THE TRAIN STREET A CONTRACTOR				Les V	100													
22 on leg (Charry report 217 Las Morty broad	10 hp	.1100	17 MPP - 19 MPP - 17	ne ti	140.11	100.0	g ar ger o	100 P 174 U	100.11	24817 27817	ing ti	egalente e "An gu	276 to	remains teams	190	146.5	plosts.)
i i u Trackher-phorad	مها ود	4.10EE	14000	teg ti	tub to	141	gang (- gang (-	rev	3 4 6 1 5	est.	(-\$t)	\$7 06. 55	488.14	1441	17911	1401	1461	400.00
i a l'a simuplement i a Donn de letteral	**		1,000000	Name 11	2-0 P	1 mm 1	page 6	1787 P	100 17	ere tr	148 (r	1780 U	400 U	140 P	190	198 (* 248)**	2000 I	, marie 1.
J i Destrophica	19 50	1,100m	1 Marchine	4451	1481/ 2011	4011	gati gati	en o	พอป	(500)*	unit:	T 201 (4)	re-u	No.	17011	447	· *** 1*	ent:
) a formación de la companya de la formación de la companya de la	17 hz	1 period 4 1 1 1 1 1	1,000	***	226.65	120.11	1037	Cat.	nel!	WE (100	1200 ti 1.00 ti	1 2 11	23017	201	2011	ribut:	Colors Towns
2 i Marcong Principal	ie tr			ut-	**** ****	40	10	⊆ 10	90	200 11	we	See 1	140	12.61	***	90	1981	1986
i i danganari I shekemalik aras	19 hg	11-000	(parties	1417		140	21	16 to	40	126 U	54.Er	See to	140	741	***	14 U	4	140 F
2 Metholytowell	re he		-	.943	of cel	200	per Li	Eat!	(14.0)	₩0	290	£40	4 per ()	218.0	294	29.0	Me to	1981
a Nebra arabam a Distanções (P	بيا بير ود يور			1719	4) 1)	917	gante Az az	40	atest Note	21931	200 H	dragily San p	190	20 to	240	ALC:	118e 11	4 80 F*
1. I De harden make o	19.14			1811	red t	1661	,00 P	nev.	13011	PM 11	1001	11mg tr	/91.	set In	there	neti	110017	a -00 11
" (Alice and a" La l'Angles d'Angles (principal	15 Mg		1940 1940	100 100	1911	361- 1461-	Sec.	200	2000	**** 17	21841 1487	EMP U	Carlo Carlo	; (4) (1)	260	Edit-		1981
(Brancopine) player other				141	N 17	NO.	1211	40	9.0	1.00	917	See or	1900	yu.	54.0	417	1841	1981
of Adequa have the Spineral A Chairm and Ph	na ka		1000	1011	1441	part 1.1	1 mark 1"	ret:	pay t' nabit'	476 U 478 11	1-0 t-	1 fau 1 1 1 fau 1 1	em tr	lad C*	190	part part	nete 11	280s 1**
i Cigaraphoni i phone nilm	ing he			4"	49.01 2001	40	62.11	• 11	54.0	24611	160	5411		50 P	~ (*	No.	1000	1997
i Biologi jylenied i Pilotografia	19 bg 16 bg	11000	1100000	. Maria	1011	3611 2011	101	2017	2007	100 I	:40	27 0 (7 27 0 (7	Ser.	2001	Me in	241	, (44.1) , (16.1)	Comp.
t Criticopolarum ¹	re He			516.01	•••		ete t	Tel	****	1506 17		Yag U	u≪ U	4011	T#11	- ·	****	CH !
t majidar. Veranhos Pre	ne he		1 33,000	# 2 E F	. * 11*	110	,40	****	720	wii:	***	-	114 18 17	7411	- 40	740		146 11 146 11
f-relation	14 4	~~~	-	12017	.41	1891"	e v	HeV	net ⁱ	440	11617	11-11	.70.00	148 L*	110.0	1145	110011	2640
Selbe ver	ye be	1,100	1780-0-00	4217	.01	20 to	241°	Lev	- 111	40.11	L mo	-30 (************************************	Set C	791	2.40	4.		ind I'
Fore_aprisoner	re he	******	-	12637	1,000	ner	1001	110.0	11437	4911	3.00.01		279.7	1017	1180	465	10 m 17 75 m -	
Francis and Financia Beneral approximation	, a	15	, 100 210	*20 *20	****	r K	120	- 1	Ε, .	90	5	1			- 5	4.	··•	
Person belless millioner	-4.10	130	; 100	•."	****	N N	*1	*		· •	144	1	· · · · · · · · · · · · · · · · · · ·	1 4	al	i	·	1 **** ·
Person of Straight or Street Promoted by Sharefund Street	ng by ng by			****	****	14 *21.	4.41				:	2	124	740	4	G G	··· 📆	19011
Nyterni	rg. kg	*******	Special Control	475*	-10	50	2.6	***	40	DP1/	40	Section	parts.	Q to	5.0	40	190	p == 11
ing) i Maretterr y ottore ing Chiesella linder	nga by ng by	19	· III	1411	140 tr	ner-	ine (-	1 to V	114 U 1183*	(44)	11017	Date:	70	1461	11411	1100	114411°	11 miles 11 1 miles 11
me. kimbe vigouwe	19. 44		1,000	6.5	****	400	41.0	14.1	40	1401		540	IN C	M.c	26.17	40	\$117	(50) 11
Profe Comment Spirit Praise to	-a t-a		*140m	14 ti	4114	911 911	4. U 940	est.	40	1540 U		11# 11#1	POT:	43 II	per Per	No. O	1101	
v artisant-	re he			4411	47.0	40	12.0	40	40	22011	MI:	ter ₁	are .	17.0	NO.	411	141	1400
Character Indonesia speriinarese	14 h	1504	11 110 	* 0	•••	770		-10	110	40	198 15	***	. 3	11	17		·**	w
Debruite harer	ig he			e t	54.07	907	10.0	9.0	40	2001	161	→u		i san	911	90	286	1940
Der Deck gebrieben. Derecken i gebrieben	15 16	********	1,444004	40	41°	90	-21- Mari		40	Est.	NO.	9411 141	140	40	40	40	1911	1 400 C*
in a herstelfflesse-	og by			*4 t*	919	Na P	200	~ · ·	54.0	2001	144	-	1917	q r	€"1	9.0	1611	17001
Drum mind phillipsian Processed	- 12 ha	244	_persuer	420	40	40	**	4.0 3	40	alet.	5111	·••	19 U 200	ue u		1"	**************************************	1906 11
They are	A 4		-	*20	••1	****	• • • •	****	-21/	w (-	71	•	ler		750	7211	•	1 to 17
) to an information) to an information forms			1990 12986	470	40	-244 NAT		****	120	40	711	ing U	W152 150 D	-41	- cp	120	241. Al.	144 17 148 17
He can block to Jopen Labore	144 64	T.MOJ	170-000	4187	or or	54 P	WA11 600	wet will	4	class U	•••	Ymn		10011	Mag (44 1	1749.17	cm:
i leus jupperlane Le leus i I l'alpriver	10 hg	150	(1.0	***	*11.	470	110	% (*	are No	40 M			3 740	W11	4 11	1-1	IME!
haptar-	19. 4	41000	LFOURTE	445	54.91	*10	4, (1	94.0	41/	110 0	40	~• U	140 11	5111	40	40	444.	1980
Marketonia Nametonia	14 . pt			1.0	24 (F	*10	100/1	- 40	11 0 15	1011 CM10	1000	ուլ։ Կարի	.50	7 g (1 1803)	***************************************	i.	*#41 14#47	1941) 3481
hi harrangia ti yenyi Limum	ng h		29	40	12 (*	54.11	52.17	54 U	we	2301	WV	Servi	rw tr	911	74 U	54.0	Meth	1-00-1-
t- biggere-lighters lareau Profes biorephe sed	19 A			427	ind th	eg r∗ ind ti	e u part	GU PER	41	201	90	No. o	:*e1 e#11	*2 t-	Cerr	160	1400	1946.1
Parameter	ng bi			1241	•••	10 M.C.				-		-,	140	- 100		•	. 40	night to
Pi-pal Prove	ing. by	11000000	(Tados	42 to	40	71			94.0°	***	tat:	\web Am	14011	40	40	40	1960	Sub-

TABLE 1
SUBHRARY OF ANALYTH AT SOIL RESULTS
2001 IEST PIT/TEST RENCH INVESTIGATION
SOUR PIDATION DUMP AND LANDFILL
BOTAINE, ORHO

		Emiliated val	Anagar i i i i i i i i i i i i i i i i i i i	The ~Self-color Stender Hopeon Hysica	P.P. Sarage Committee (CA) and the Committee	ET E SANS-POWER RAIV ON BOWNER AN PUT	TT 1 STREETS OF TABLE AND STREETS OF TABLE TO 11 Mars	FF : - May be retained a PETS - Albe difference - FF - Buss	ET 2 GENERALMANNEN TOTAL USE BUT TOTAL	TE 1 State of the Activation States	ET) • In His etime E, LV 421 \$250 ea (for this	TT-4 > broke betyen 5,144 ata 900000 8 // 8-14	17: 4 In Units Included Trivial Management Applica	CT-4 S-30(1) WOMENLIEV AN ROSTING FIR BLO	ST-4 Factor Property (STV) (ST STSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSS	TT 4 - Mails scheinfalls ESI STREET All Box	TACA STANDAM MATERIAL PELL-SEA LC 3	ET in brack-milden skirt ope in process in due :
Large Le	وبعدي	4 107.40	****															
2 inteli																		
Characterist	ma, kg	1790	~~	**	71 W		:-90	124	111	•••	1100	·>-	CIP®	***	71.0	244	:40	,
hadyman. hateria	194_ by 196_ bg	,	13	27	. 79	747	71		į.		- 192			112	15	*2	29	
Fence	Fig. by	17800	PROPERTY.	1-	****	خدر ا حد ہ	• 120	***	94 2 P 24 T	79 19	±a •≠₁	1814	140		126	27	IW.	(D)
Projekto Ladiston	∾ag bag Anag kaj	7	2000 E12	• 241 121	***1	431	9141	•61	• 11	10	151	+ *1 Mas	14	120	***	140 101	*1*1 :•	(7)
s all own	"% hs		1100	1 1449	151000	14.00 14.01	100	134)	*1- 00 31 2	1100-1	10001	**ImI	11.0	*****	PM.	I ATTACA P	tpage 1	·16)
Clarecture Total		D.	1966	171	131	321	411	**1	441	41		11.5	(i)	141	57	731	12.1 M.1	10.5
· mpm	mg by	*100	1100	** **********************************	201	16:	1+1	2 hall (***********************************	15.6	us.	in.	a jilaya asa ara sa a gara ar	y#1	178	ч.	r.	-	
Bren Lend	rate by	14000 Mari	77,0000 Aud		7.M	1/1	347	17.1	114	114)	, ,		5) 	unio L'el	157m	HC7 12:11	100	
A Lagre forem	74. H		_	46.44		14,00	44	H TN	E	174	1946				246	45784	www.	. Strate
Aleguen	** \f	170	J. Herr	I	### ****	д. 1971	MI F 15	e-	Print	50 *1	260) 41°	(m)	paci Page I	27.5 849.1	***	2~1 6110	2181	j 1 ⊕j
"de bel	-4.15	1-8-	2000	1949	- 11	u.		h.*	10.5	17 6		F-2	1.1	• • • • • • • • • • • • • • • • • • • •	***			
Personalism Nationalism	one by	190	New Control	119	7 12 1 10	1.10	441 (~#37	#111	44	171	MAY BASE	HQ41	1001	901 810	eur:	1427.	3411 0 m l	187.0 E
7610	H	140	5100	12	140	140	591	119	110 560	167	121	*1	1971	100	110	1135	291	413
The best	me to			10.00	1121	• 4	4.1017	*11.0	412	445	T 11	74.0	101	*111	410	11-1 4.55	. 17	\$64.9
1 aprellation	72.17	: 100	- Lee	201	12	#* 9:1	947	991	W-11	May 1 May 1	1841 2941	M201	17 17	20		741	6.11	441
ius.	~ L	;****	*Letted	n.	199	41.1	247	4.1		140)	241	₩61	164	•••	***1	411	441	(red)
△																		
tractor (65a (PCB)(41a) tractor (1 for PcB) F (123)	er ke ar ka	1966 276	21 400 1 75	0.0	W 17	**	40	***	71	•t	t·	re re	40 Mg	44 44	77.7	W(T	16.15 56.1	arti mti
GRADE (ESTAPORE LESS)	reg for	170	434	411"	40	₩.tr	No.	r u	R.O.	H-11	Je U	r v	19.17	415	****	~11	m t'	#P
Section (CARSON BELLEY) Section (CARSON BELLEY)	14 M	20 44	*10 *10	411"	ar Mir	# U	# C	***	25 L 14 L	HU NU	5-U	1-ti	w	11 t	1 19	~!! ~!!	*1	11 to
Special County & A.M.	19 %	420	-0	4/25	90	₩0	***	****	***	-57	• (3:1:	**	911	27.17	*17	« j	100
Married (Aug 170)	ye he	L.		4.07	417	M.D.	we	*"	*1.	* **		".	; "	2111	291	***	***	
Angelo.																		
11 DOE	ત્યું ધ્યું બા- Ma	:400	1:00 5100	410	110	pr tr	100	1-1	*11"	W-14	*; t*	140 91	*107 307	1817	•	014 Mg	im to	nerg patr
11 184	14 4	1760	100	1459	4917	J41.	169	****	4111	F 14	*1	61	411	****	201	1917	AP 15	APL7
Marie Apple MAP	19 Mg		1.0	410	991	art er	ar to	****	*117	19 ti	QU CU	1 4 0 2 11	45. 417	AL an	,= e = e	# C	Mar I'	116.0
dylar Minhan	15 ha		:7	2177	440	16 C	le v	•••	*10	37 U	*! U	198.0	4117	18 tr	● t*	141	441	mett
in . gi K Ada Bi k	int by	· ·	-	215	110	pr I'	100	140	*10	en en	41 P	140	4) I'	 	***	(*1) Mari	part.	pot:
Details	14 Me	•	119	710	***	#V	i# U	***	4117	m;	*20	•	*1.0	MF U	¥ (r	NF L		(14.5)
Emproduce (Parter distrib	- H			210	120	ja tr	un tr	***	*10	97	*****	190 190	***	16 11	41: 41:	#1 #1	PE 1	110 C
Landan entraft	·9 kg			177	•••	16.1	10.0	141	*11	p.	97.0	(44.6)	90	10.00	, MA C1	100	Let C	11417
Erenn Ersker stifffisste	79 14 78 18	1,000	Landen	110	541	W-1	H C	**!	*10	77 (40 P	1941	*11.07	1911	W 67	191) 184)	Mari I	me t
Assets on American	16 16			210	***	at the same of the		***	*111	e.,	***	P)	*117	18-77	90	16.07	199.11	11611
gangai i Merikar	ng bq na bq	5.4	2340	716	110	patt osti	# 0 # 1:	****	*10	711	410 410	1441	*10	110	***	40	Het'	erace part
I Imple iter	re le	114	-	2111	100	# P	1813	140	*10	70	***	146	9 d 9 d	10.0	• **	ie.	1941	tiel!
Magda Min a special s A frage on Mass	त्व स्व त्य स्ट्		140	140	341	4 7	wo	0.0	ieti	5.00	1997	37841	160 (*	3115	∓ ≀ 200	16 P	1901* 2901*	Late.
l- aglerer	N W	W E	ruby	+211	ושר	77+1	- Th			199019	*****	750011	**1	****	1901	778 (†	. Im ts	Hie ra
tire to a second																		
, 1° 17 (balance) , 1 (by More province strategy are set 12)	18 Hz	1 1/4/4	1 *Cuato	50 40	419	21.5 - 1.0	216	27.0 1919	***	101	n c	211	20	at go:	::u	271	31 C	10
			117000				,							••••			4"	,
- parget - Marantes - parget - table.		,		•etn	45211	•40	* C tr	****	Fav	toj	101			#9V	****	481	411	•>1
Fred white	.4.	,	code:	***	×1	410	4.	*1	-	21	*24		**		P 1	***	7.4	5.7

| Expension | Expension | Expension

TABLE I SOURCES OF ANALYSIS ALSOID RISULTS 2001 ISSUED FOR THE REPORTED AND AND THE SOUTH DAY OF THE REPORT AND LANDING MORAING, ORD.

			rempts to store	. but seed times	17.5 - Mars orthon & the est it	LEGIC SHOP LIFE IS:	- traits per te-table tay	A MARKET STATE OF THE	TI .		the second services	FI B A Mart AMORE CASE ME	-7 P	(2 ·	files	C Grab (seems (Jen. 84)	To se	17 m v MIJS obsper syntheter
			Sample Shirt	754"10	MOREOVE.	9/10/340-	10/2/2005	10/33/46	100/100	189/299	100/200	16.700	16/2/50	1970	1437	143100	14/530	1905-144
			كالجورال البيعات	Option .	24 ju Bours	i it but	arr flor	m n #	· // Na.	And Break	25 pt Bios	*10 \$000	1" # Pres	E to Black	Low Mark	Mark Baye	15 to \$10 s	Tendore
		Bernand v.a								Depts at-								
	18mara	Republicanal residence	Ladeston Conf		Det. III					Linker St.								
P *	1000																	
1 professor and the second																		
1 i i laukė reduce	14 14	-	1 00000	90		****	1000	2011 2011	+11,	****	47.0			, may r	40	44.4	1116	4411
2 2 2 2 Francisco and Lare	4 4	100	; ear	* ***		5 · D	100017	200	170	4218	1.0			parts.	014	141		140
111 Falaborellase	* 14	1900	190			110	lago 11	A-11	101	*1	1.0	141		5-20 P	100	1815	1119	****
I i Culturalism	19.44	riente Campo	110000	1411		110	10001		200	- ii	479	100	40.17		D II	1414	-10	445
1 () by bloom blace 1 () for bloom borney	4 4	-	-	0		1-0	100-11	New V	***	- 10	170	-	Ξ;	540	1100	11.0		110
12 December 1 design part (CRCF)	7 7		7.	1017	2.11	16.07	101	les (*	91	1117	112	120011	1801	rest.	1417	;	i	4411
1 New year transport part (Marchaeles)	2.5		LTV	4219		2.25			• 411	4.10	170	New ID	- 0		1674	1101	11.00	411
i d De Manieratura	15.14	/antibut	14004646	* (17)		5.50	Labor 17	A 11	* 4 12	****	1.37	Weg to	-	a-per II	1/19	, ,	, ,	410
11174	19.14	174	2.00	* 17	116	3.50	same or	me 11	146	***	410	Van ∪		بالجهز	12.10	1415	1218	1111
1 / Ch laborately	14.14	***	1746	1411	61	*	(May 17	-	141/	***				2-041	12.0	1112	1519	100
1 · ['s Merenium	14 No.			*****		* • • •	pathe 11	gen ti	+742	* * * * * *	47.0	New Co	- C	: who had	ud	- 0		110
I s De ligeraturature	9.5	g-de	11040	*119	**14	550	***	PF I	****	****	47.0	100		1-01	241	**1	441	e e tr
/ But and our interest Eding Pursuan	* **	.004004	17400000	****	9.0	nu	re- t-	180 l+	a,	3411	181	191	7401	1-949 1.5	•••	** 01	****	pa c
11 braners	*F №			214	40	n t	1160	HH-P	F 14	15.17	1417	1981	279011	1194811	1919	1919	51.0	# U
t Applical 2 Papageous Phierbyt Indicase havenes	20.00	14000	- 300000	r.	40	20.00	1961	NIE U	Pu	44.1	100	1000.1	B -1	Espell 11	≠ V	*****	3444	re t
4 #41-	* *	4110000	-1	57.0	1111	n c	718611	110011	•	411	10.1	2500 to	/76011	a speed U	,		11	(41)
Property	PE7 No.		144	•.0	1	510	Page 1	461	101	201	170	(10) (0)	1941	14015	1.9	107	1116	rit.
Per no Arbitra Palage	7 4	1994	5-840 118400	17.0	0	110	1990 11		* 1 ty	***	4-11	W (*		1481	42.54	1414	1719	4417
Recuber	19.34	1100	1986 1986	*208		110	199617		*10	****	4-0	W	-	2-0-11	W 17	""	1719	***
Per australium (h.)-Bal Spenner	13.44	-		42.0		110	Index.		771	481	4-11	-	101	page 11	6.0	H17	1519	14"
Cartery describe	7.5		7.5	41.0		130	Page 1	=::	100		110	-	-	, and the	k.0	1419	90	4411
1 Mariana	7.7	11 mary	1988	110		5.00	Feet	1986	****	- 119	470		10.0	741	411	1118	234	iii.
. Northern	41.44	190000		124	220	190	1984	200.57	***	421	4.0			and I	0.6	10.75	1717	140
I lawrence I'm Man madeur	4 4	-	194	100		100	1901	PA 17	• 4 11	* 17"	1.0	Well	100 11	240011	6.0	0.71	1115	410
Linguis Charles Chinasia		.70	148	42.0		****	Indu I	200 1"	*74	- ***	47.0	198 11		200011	6.9	10.14	11.0	110
w 12 (baldenethere	15.14	-	1	*20		9671	(*************************************	241	411	D)	****	~	See 1	141	1.0	0.15	1919	412
OLI STA Manuscre	79.14			2234		1.10	1000 1		*41,	***	4731	Set ti	-m 1*	page 17	1.0	1657	1319	141
A se de la companya d	75.44	71000	-	3011	2111	n t	Auto 11	1.0	1/1-	***)	****	Det.	1401	1 Mar t	# C	A17	CH	417
Different Hereste Bath	4.4	-	11000	* :14	****	* 111	1986 1 *	an c	+411	1119	4- U	-	-do 1*	1	9.9	1414	4419	LAT:
Participated consequences (C. 11)	44	Pertor	700	1.0	0	540	PREU	and the	416	• 51"	1*11	We 1:	ng a sample a		12.10	1410	1914	6.00
Invitation	4.4	****	21040	*715	77.0	5.611	4291		P411	9,319	1.0		1.		1119	14.14	1111	****
of white other spaces.	ne he	17-70094	1100000	*101		**11	I PRO- C1	By f	×211	• *16	(* 6	tra j	1'48	-	att.	ни	1919	441
Aledia I afeliate	19.74	70000	-	10 0	ive	1132	NAME (1001	10 to 50 t	110	140	(4) (4)	1961	SAM C	NU	29 LG	r in	•••
Method on Miles are	14 kg			18.4"	rec	(41)	1000	11000		961	190	241	11-01 270-11	1941	MIT	rur Fut	E O	***
Andre Cort Buys Edwar	**	14000 14000	190000 Nation	*10	4 t	10	America America	750	A10	461	100	190	270 U	11000 ST	131	ruj at	** ca	· · ·
bletelere - Harala	ng.leg	September 1				140	1994		4711	• > 1.5	1-11			14411	1112	71.7	1115	140
*harin	19 14	179	278	101	10	111	10001	## C	110	1317			-	2461	1845	101	417	110
Total planes three Total and	71 74		(-ma)	-111		111	166/	VI.	***1	111	1-11			100	10	171	191	100
Water to J. Chr. Marter - 13-100	- 22	114	-	200	7.0	330	1650)	ges 1:	141	***	416	Sec 1:		per l'	6.0	913	1214	147
han 1 * Parkinganyon	Pa Na			*219	0	110	180-1	20 U	114	•117	410	900 U		and the	1111	60	1118	14."
Implement	14.4	744	HT	• • • • • • • • • • • • • • • • • • • •	131	177	1901	. 101	• • •	**1	12.0	144	- 20	401	6.0	0.01	dia	441
Intiferedate refere S.F. 111	72.14	-	140000	1.0	- * 12	4.0	199-1	201 U	****	****	47.0	100 (- · ·	:-eyti	100	14.05	1211	115
Transcript themsboard (Free p. 11.2)	19.34	-	1	42.9	27.0	8.44	2 min 1 ·	age 11	* 4 * 7	- 411	er u	· ·		1484 17	600	417	15.04	151
1 ggl - literate	***	-	1746	1211		1.41	PRO-U	⇔ ∪	**1	41	CV		1 70	2-84 17	14.17	4459	1117	1417
Sujepe (Selat)	79.74	, driftes	7×40000	II U	1671	nv	Tel	144	194	1119	111	: "	170	1000	307	***	F 19	101

Page 8 or 15

TABLE 1

SUMMARY OF ANALYTICAL SOIL RESULTS 2004 TEST PITE LESS TRENCH INVESTIGATION SOUTH DAYTON DUMP AND LANDFILL MORAINE, ORIO

			مدان و الموسود 10 ماليون دامون الموسود الموران الموسود	nation statement of the	TT 4 WAS COMMANDED IN TO #1000M	TT 5 * Service service staps * 65* * State of the service staps * 65* * State of the service staps * 65*	TT T - Mars leave (Lary Se) 19 Water - Place	er - - MH-HATTH-SARY INS 1872 OF 1873 Sept.	FT # 4 brain remains New Had Telegram 4 d Bus	FT # F 3446-F046-F045 NGED 100/C00F 47 RUS	the fire the state of the state	17 9 ~ 1885-1858-1315 18* 1832186 7 8 8 6 7	FF # ~ SFEED HARDE NOTICE METS 2001 17 of Bloo	FT - 1644, 1644-111.044 347400 228114	FF 14 ~ Mach resemblative equ 10 Mass 10 Mass	FI IP FINAL THE PROPERTY OF T	17 o But Serie (1858) Alte Sp. 17 o But	TT 13 Seas Research Control (c) 100/2004 201 Barn	
		proposed was	rrms Levil			. ,,											110 40-	,	
P. committee	Q _{m-1g}	Andread red	Industrial And		Depte ser					Popla at-									
		4																	
Sear Lefebre Domes, Commercial																			
Ed an instructional Comments	4 4	140	1 July 2	I) ORBI Urbit	ZW U	164 F	j-derit Plantj	Mari I	Part:		iden ti 1 4 ti	pen Pen	(40)	4394.07	Date.	200	140 140	11€17 1.00 U	
La - Tra Meropherol	pe 14	1000	14000	J1 00 71	PMI U	ra-e	Marke (1900	MATE .		1-0 U	1400 D	740 U	410011	ING E	2911	240	H# (F	
g i Delorophesid Li Desellabbesed	AT ME	(Accept	1 Section	2140 U	**************************************	178 to 178 to	Man (140	MAC)		140	1400	1911	4790 U	Deb.	191	140	140	
g e L'hantespérant	N	Company.	1,700,000	1400 U	Name of Street	770	ener.	SMO U	W 0	MAC.	An C	Det 0	***	790 t	sie s	No. o	1(81)	₩ .c	
J i Pagastangera J y Challestonia	14 hr	الجوارة الجوارة	1 MARKET	2001	(500 U	200	1000	(764)		900	2007	140 U		(-00 I)	2007		7(#1" 7(#1"	1201	
3 c like consept their con-	Mr. by	-)4864	A200400	*****	10011	40	1 Mar 1	Dall Call	1911	14t	410	MI U	## p	(about	-119	*t	- 0	ALIF	
j japanyjajan J Nederlandelladese	175. 145 147. 146.		1 politic		170	54 ti	14017	947	190	100	. 10	CI.	שיי	han U	•10	*et-	**	MU 210	
A harder, bylaman	192. 746	11,00000	1 1000	MOP ()	s*we ti	29 0 (1	Note La	1700 (1700 U	₩.0	*:617	200.0	2000 U	160 U	Self C	244.17	NO. V	160	347.	
a Note authorised	44				Part C	210 (No.	CA.	ال من ال الأمال	10 U	100	page ()	1980 () 1 10 () 1	Sept 11	Pea I F	90 (*	11417 7417	40	
1.5 Californian palar		1100	1405	Federal 1"	// 1 146 1	114.0	1-8e f 1	Anat-	reti	via tr	148.1	194 () 264 ()	19611	process 1	1965	27.674	060	100.0	
i personalisto La Cambro I monte laborari	75 14	1000	- 00	DATE L	1961	960 (50)	1901	1961	WE C		, e- 1 1-0-14	766	W11	yaut.	A11	-01·	447.	290 1411	
a flavorephase (place) arber	ية س			• 41	. rese t	(a)	(Mary 1 -	17641 17641	1781	1401	arti Hert	was to	+1 (, •0 (*	1 after 1 -	67 1661*	200	**	No.	
() the transferight and	engalike Halikar	***	1204	1180 T	1940 tr	(31)	-460	1591	44011		148.0	1-40 (*	.401	4.20011	1891*	241	Sec.	1-01	
of Marry Property Property College	19E. M			+10 (1100 U	411	1964 No. 11	Let (700)	state mate	141	120 000	and U	w.i.	race!	1.6	* U	7.0	ut.	
a Nickly lightered a Nickly and gree	14 14	France James	4 9% - 1 100km	and to	0401	951 461	Street P	176011	W-U	140	. re ti	2000 (1	w.,	5-8+1·	tiet:	- t	mer Na D	Let.	
a patropherosi	A 14			geor ()	**************************************		Part -	1700 II		19017	40.0	50	-WT-	erent :	611	1011	* (* C.)	40	
n, analyticae ne complete lesse	one has	Hotel	11000748	1751	1440	710	678.5	***	100	***	- 60	eu.	1131	/ = 1	=11	1615	1011	1	
A playleness	14 Mg	Topper	i Descriptor	leaft (* Pro:	2/6011	(in it	24011	44.0	294 D	M1:	140 U	Page 11	140	(Mark 1)	114	19011	160 EA	He U	
April a see	19 %		****	and i.	net:	411	NAC.	170e-17	Mari-	test:		het Y	201	year (r	gent.	was to	110.1	7841	
Turksidelepla	74 14	10	100	140P11	Emple Nom	. 14	1-64 · ·	4/1	141.	(**)	1 44 (-	ren en	190	, marine 11.	(201) 23	1411	148 L*	1000	
Parameterista con Parameterista		10				::	,		•	4.0		M U	NID.	(Mar)	Ter.	H.U	P D	3 . .	
beautif the select	15.74	2700	*144	-		.00						er:	HC PU	18011 18011	···· • ···· ··	art.	40	* 7	
Bandwig by special w Bandwig by Special way	7 14	198	ويون -	PEAN .		- 10 -07	ign.		130	400	-10	#U	110	1960		161	1011	5	
Replace 1	A 4	******	Cinciple	140	Lies f.	9.0	1760 1	ent say	15811	191	Sq tr party	146 U	44 31 2 44 31	(ace) (ace)	*17	7-U	*0	40	
laar i Chimmetha vy banda per byg f Chimme Balladian	ig be	144	1999000	1440 U	20m U 2m U	met:	340 (* , a40 (*	468.17	(***) (***)	e*e tr	(at t)	1997	1961	, Marin	124.0	1940	ree t'	1161	
tea : file the original de	15.14	1000	1,0000	444 11	Here to	4 1	1,00-1	East.	1500	190	5a10 1211		*11		-1 V	74 LV	21	117	
Panel hepsylphikalate Lagreteries	ing the	(to appear	41000	9-40 (r	"APP U	Ng 11 3791 i	8300 f.	3000.51	101	rise tr	Ne ti	4,400	490	eMes:	100 /2	See C	39417	M1.	
ماديساني)	44	1995	(1900)	(Tex.)	1100	***	1990 T-	:40 f 3804	191	2 4 17	40	411	11 to	(ac.	•••	*** #U	7817	MIL	
t lan come Capacità a le sandre er equi	ig he	1460	110		74	74.0	r*se	:#	(*1)	***	. 411	en U	2441	1900	410	140	1017	. "	
Department of the Control of the Con	15 M		(- Company	****	-01 1140 U	40 40		200	Pati (%)	20 U	90	64P17	- v	a star (*)	-1 tr	74 () 74 ()	70	31 31	
Destrict philosophia Descript I proposite	77.77	4-04MPT	(-chiese	491	110017	40	170417	ust.	100	IM II	MU	est t	• 0	1.007	-10	***	20	40	
to a politication	***	£1900/0	· readon		nert.	14 P	1901	2011	1541	1911	MP	MI U	41 410	Care C	411	50	70	ut.	
Di je na trel përfindere Eligenteribere	14 H	LIGHT	2,3000000	1-44	17945		21990	1099	- I	401		617	19.0	179	-		20	***	
al-arress	4 4	19894	(2000A49 118 ⁶	1700	140	- 100	:MI	, 'a. (:	1911	**************************************	****	#\U	110	1401	4117	1017	in r.	**	
ris an Merchangerya Hera Merchante Annu	74	40	1294	**************************************	nee ti	***	19047	Let	140	part.	MU	64PT	*5 t	1 100 CT	-10	30	781	Mt.	
He -a Morre celeportature	M	11000	(-magni	9-9711 9-9711	Take tr	17811 Sa 17	49641 19641	'spay'	Ne u part	15m (*	Marin Co.	CHU	AMI11	ender 11	en-1-	100 T	*sea*	MIT.	
Sarah Marrie Salar Salarah I. J. T. Chronica	H H	199	.157			100		. **	14	v.	1911	#1 t-	1991	14411	18	v	201°		
loopla	ing he ing he	100,0	1700PF	PO 11	n⊕ o	% P *10	1461	100 E	1.17	ent.	W.V	774	# P	1001	10	16.17 18.17	- C	11"	
Nagithalese ragistrace	74 4	11640	AND	Head to	Cert.	1001	+Pa L*	40	190	Mar.	19831	labers.	1901	~ ≠1	6.41	Patr	10417	1 1411	
he historiande in groups fange as			70	1911	11=10	*11	180417	E-ti	741·	1411	5/10	MA.	***	1960	+1 ts	30	-11 -11	\$11° 985°	
"a calman inplicate larrage Engra biomegnous	-4 ·4	***	****	2140.1	1948.5*	(3)	1961	(10+1)	HEU	en t	Table Cr	1981	(98.6)	(PPC)	IPs 1	t=1.	ZMIT	140	
Decembra	un la un be	· Proper	Inches Control	. ****	r peans then U	Tigar Nati		240	100	***) 2901*	****	44 (·		1.00	4. 41.0	10 to 10 to	200	:** 140	
Please				100	1300	0	1900	~		**	-10	ALP	100	19		10.0	41	,	

MORAINE ORD ANDERS MORAINE ORD MORAINE ORD

		By proceedings.	haagis 1 (k. 11). a —agis 1]: haagis liber —aagis 11 yek Lenny 1 maj	a park dereng karis dia 2000an raya kuh	se in grou Addison Ages madder years and is all a	e sy pro production of the state of the stat	n gray server payer by the Control to the Control	Ti - - One is make a side one (B) James (B) James	e meet tamberste ett 1980aan 1980aan	FT # • Meet papage Lank also for Fall Charles For Block	CE of Comments of the Comments	for a - seaso-colour Abot vol." 10% poet for Bun	CCE Coppy people with the register PSP Reg	11 - gerspreid nei spirt, der 18 92ear (19 Nove	17 ja s wat denn Off au 1830er 37 fer	FT to the transfer schools taylore taylore	i bres perior (, cor age services services	17 or - was show kiny but philips to du-
	du.	الحاد الدراجيون وراة درورين الارورين	industrial fact with		Dags- No					Hayto av								
Metes																		
Marine Marine	ong by	-100	1.7	***	17	12	341	• • • • • • • • • • • • • • • • • • • •	161 1+1	71 m 191	****	€ nga. Nadi	192	18 M 14 J	2144	;41	71 <u>1</u>	•12
4011	- 14 Mg	***	1 ** 1			. <u>-</u>	~		1198					829		/*	744	-
Names. Perytheter	mag by	140	180	441	(1	2001 2001	**// **/	111	•••	11	#5Fp	11	17		•=	17	13	****
- element		•	***	9 may 1 19 mbg 1	انعان	(Phopps)	10700	***	****	*****		15701	1000	3 : ******* 1	rim!	1-141	*1601	e to co
- Januaryo Tand Cababi	era ha	3	194	I=1 17 4	.u# •1	141	n ·	10.1	401 171	10	31	110	#1 #2	**	171	111	16.7 54.1	**
, appar	~ ~	1980	i parte	114 1958	ام. العام	ys -	* ***	***1	1770	1-11 Appe	* 1) **(*)	-	4-4 	*10Mm	410	67	***	1.1
leve Lead	- T	· <u>-</u>	•••	■0.01	191	*41) -4 19 700 0	.74	.50	1-1	1/4 1/4	1170	1991	,	10.1	pr 5	15-1
Magazini'' Magazini''	-14 Hz	_	244	int i	neger)	14.1	W-1	1-01	14.00	.01	11.00	181	91	417	ite:	77 P	(7,0)	-01
Alon wy No bet	~4 H		*	40	6 L	•••	: .,	741	41	417	*141	9 40 18 7	***	7 p	82	11.0°	***	4 00° t
Palanger	or he	-		***	T.	7-1 P10:	iene Ibi li	174	Pes eal (10.1	11° 1	161		337	901 -71	540) "11	701 2011
helicanan rem	~ 4	-	1100	#5 I	6.21 1911	190	7.	**	120	110 501	141	10 (120 20	2 de 1	1.245 		760	111
The Bases	-14g, 6g	33	-	141	# 5a I*	#1) U	• **	•11	*10	417.5	4 10 11	Page 1		e 53	**	450	2.1	100
National Confession Co	right.	:	-	ga vy Inte	**		411	18. f	; end	1-1 pro-	.;	***	u . 204	744	11 -	41	61	10 M 10 M
a.																		
same plicate is used	4.4	-	10,000	~ 9	20 E	1714 1715	Hate gare	45041	71	**************************************	41	42011	#11 #11	191	10 (* 80)	(a)	52 to 51 t	10 L1
market på 1910 lit (2016 market (2017) lit (2016)	10 10	176		6 P	ert.	1719	cret:	inte L	70	70	40	100	****	201	44.71	1411	41.0	9.0
Sent box (1744/175.8) 11/12/ Marchine, (286/175.8) 11/40/	19 44	24 14	***	5 D	446	F (8	2007	420011	71:	30	HV HT	420.11	gets gest	2011	1917	with with	100 100	- p
Applicate State (St. 1254)	. q. kq	3t 41	-	(*** (-1)	per peri	***** ****	,- net		. 72	, . 25		· (***	870 811)	240	# (* 1857	40	40	S-1-
Armini (ShriPCB 1296)			-		• •						•							
Erande)	ny ka	;***		41	1981	****	201	net:	J#411		F-11	411	** 1-	28811		pete	:••	•••
14 1938	7 4	100	्राज्य 5148 7 188	910 E1	(to 1/	*41	44.) 28.19	#1 (#17	20-11	121	## U ##15	411	49.0		1°1	111	2414	41
FF PM2	-1.44	- 1	180	911	let t	410 410	Est.	nev	200 11 200 11	ert.	141	44 U		340 T-	n (*	1107	: + D ; + L	40
alpha BDF alpha CIFANANA	14 kg 15 kg		:*	411	lant.	740	261	nev	AND U	••t·	****	411-	**1"	part.	40.00	inte	*11	42 P
mis PIR	19 he 16 he		-	411: 413:	14417 [46].	*41	240	1140	Jest U	pa U	***	용발	400	_10 11 10 12	0.0	fart.	164	4, 0 50 W
(hadan Endrader)	eria er er	•	1.0	***	140 140	*20	23#10 43#17	- "Heti	res U	(C)	**************************************	· · · · · · · · · · · · · · · · · · ·	en 0 e51*	(see to	11 15 11 15	n o	1-0	90 90
Endought II	red fee			40 10	(a) U	*41:	261 270	1007	are st	***	4411	44	***	(a)()	W.Y.	100	:40	90 to 90 to
i passaggym deglade Byrdina	. 4 ha	1000	180mm	MV.	tes ()	• • • • • • • • • • • • • • • • • • • •	200	1101	and the state of t	# 1- #1-	4413	410 21	14 to	and to	4117	100	240	5.0
Environ adriente Environ be ⁴⁴ 000	7 4			***	impe impe	4410	261	1101-	and to	141	****	301	41.0	~ r	ut	52.7	111	*20
Corretor Birth, (Careford)	ra be ra be	Na.	, per	N1.	fert. fert.	*11:	200 (* 200 (*	tiet:	704 T	••••	470	44U 1801	21 21	Field See to	11 P	100	(4)	91°
Physician Physician specials	2.5		â	41 tr	ter.	110	Eat.	nat/	Me U	Mary Mary	****	4411 271	49 U	2011	417	100 100	240	40
A for Brighous States	4 4	HAPPY And	11000	100 L	ent peril	1919 77914	Liet Amit	ilet:	7001	70.0	1717	10.17 1786 tr	ien.	4401T	6-17 (4017	25 UN	111	18r (7
To capte of	14. 14	ur			1967-19					· :							,,	
Herinania Land Meridania	19.14	1940	(uphoto	au.	ev	r.v	100-1	- 1	390	дu	n v	Ast.	w1*	Sec.	ac	w.c.	36.01	u.
Fit Distriction of supersystems of the District	-			• "	A 11	e.	10000	(Nation	70	N/O	#11	10017	1414	100.1	-14	13411	120-18	ēu.
Name of Persons																		
i namala Jenseli Tanah kapita	7	1-4	,,,,,,,	e 10 U	9 % V	****	****	14	*371	perti	***	AM II Tan	141	31	Project Mari	-	41	9 M C

| Limited | E. Francisco

TABLE 1
SUBDIARY OF ANALYTICAL SOIL RESULTS
1996 FEST FIT/TEST RESIGNED AND AND AND HILL
MORAINE, OHIO

			"couple i I riccu "comple (P I maple (Date Scrapte Papels	TO 10 or Mary Library NATE and MARY BILLS	- 174 grit Fag pan - Falli-Tangga Patha ett 12. 11	TT LC ~ 3445-14024-1515-164 1953-24 5 y Buy	1975-Ber - Print Page (2014-186) - El C	77 12 ~ 9745-(975-120-14) 2074- 21 (1884-1	Parties of the Control of the Contro	IT Is wheel at lating the re- \$25744 \$1186	PT III plants or description \$25,000 \$450,000	And government of the transfer	E STANDARD S	TT 17 CMID-MANUALI MA MANUAL SPANA	77-17 - Inter-security (1) - Inter-security - Inter-security	in ge- interestable Li h	This give a leader region of the fact that the	THE INTERPRETATION OF
		Rendering and										D.qd+atr						
	ومسال	1 24	Facility (Co. 1924)									D-41- 21/						
Paramet 1	- ·		(move															
I wherefor Common as a common state of																		
(c) InchiepeQuie	يا بد	*******	11040108	* * ()	a' U	440	4.10	4411	4711	**1-	****	1.0	4711	* * p	+117	P.	4 110	(1)
1 1 J.2 Televisions effects	7E %	·	· —	210	110	110	120	4.0	4-0	,,,	100	400	17.0	100	*10	•	1.0	*115
11 / Technique Hause	14 14	Han	198	* 547	170	440	410	440		***	****	A#11	15.0	****	617	•	1441	***
1.1 De Mercellage	19 14	*800	1700	110	47U	440	670	440	4.0	***	500	100	176	100	410	· ·	C+U	***
11 Us Hr sydem		Pittore	1100004	****	1.0	110	410	440	C.G.	***	40	19.0	45.01	500	410	•	1.4	VAP
() a Tracking space		-C177		110	110	110	120	140	4.0	***	100	440	110	100	410		110	- 117
1.3 Palmonn. 1., Macophapera (DPCP)	14 hr	*•		at.	****	5.41	# * t*	441	*10	440	teti 1eu	****	170	1011	1217	•	440	1114
1 ? Distriction (Ellefore (Menuelo)	44	21	179	- 10	410	110	1:0		6.6				410		-11	<u> </u>	1457	***
1.1 Delderstaatne	re tr	JOHNSON	1-0040000	4 - 11	110	140	1211	190	470	510	140	1417	470	140	*10		417	****
11 Million Bar	**	150	2 4	110	410	116	120	440	170	***	100	1911	(7)	140	*10		(***	111
, 2 Decider surprise	10 30	**	1788	5.44	170	141	(1)	447	1-0	****		(91)	479	3411	110	1	4.50	***
1.3 De Marsinger	19 19			100	170	**1	1211	***	470	510	14.6	400	47.5	14(1	•10	, , , , , , , , , , , , , , , , , , ,	1831	1111
1.1 Dalib astroneue	17 14	Pripe (Military)	1.000	10	****	14 (1917	100	143	111	40	191	121	30	9 U	• • • • • • • • • • • • • • • • • • • •	2011	70
Europe 1 Medical Edit 13 con ex		, we out	1 -Codepos	11	1*0	10.0	7- F	141,	16.0	D.P.		iet	15.0	41	40		411	100
i He carece	7 12	-900	. 14-0000	210	100	10.0	12.0	M.11		11.11	70.0	100	1	70.0	•11	r	2011	2011
g afrijke? ? Fransjange (kitelin) bediede i Friiban	15.54	*1940au				100	77.0	1017	(41)	ni.	90	1177	101	ar.	46.11		ga 21	r.r
April 1900 Bendand	12.14	1100		146	- 6	, in	111	441	479	****	180	180	455	540	411	P.		100
	15 14	t-mou	1000		45.0	410	4.0	4.01"		***	140	100	47.6		410	- 1	425	***
Fe to a lab bit constituent Researchester	15.44	11974	110004	- 40	100	140	110	4.41	1-V	110	140	180	17.5	544	**1		4411	*10
frequent at a chieful frequet.	71.5	740	15000	510	4177	1117	420	412	100	1111	5.825	411	12.55	1411	* 100		4.11	140
- the guidale	4.4	• 400	- September	430	159	411	620	400	470	* 51:	300	14.7	6711	2011	•10		4.57	441
Carter true paget	***	- 100		130	200	147	122	441	47.0	****	1817	480	474	1277	+431	r	450	*11
- ggs-tendam	ing lay	'lesc.	1 Section	119	170	110	141	451	1737	3.0	100	1861	17.01	141	*11º	,	4.00	*40
· gerrellinger	14.14	(Water	+ ABOUNG	510	4.6	411	110	100	470	****	191	1417	4:34	***	+ (1)	r	. • •	-11
i plemitris, Tra Marring Dag-e	4 4		1988	510	1731	1417	in	744	470	111	107"		47.5	1411	V132	r	140	•10
Chieve-Felhana (Nietherl Chievete)	19.14	1°N	1481	111	200	141:	1.5	141	4-1-	**1	1011	440	47.0	***	*117	pt.	4 * 0	***
. or 1.2 Distancement	. 6 16		1-Cape	\$100	(21)	4117	110	e #1	6.0	4.11	1011	(* t)	4759	100	417	•		*17
os I *Delgarrepreper				5.00	610	441	4.10	44.	4.50	* * * *	545	100	4*1	141	-10		4.11	* 61*
, or fellestere	- H	* Whole	-	11.0	*40	4-1-	*50	e e t	- 14.	11.11	1417	*50	***	44.1	62.77	141	***	1157
Ordersons Marsons share	14.44	"netu	20.00	110	12.0	444	4:35	4.817	4737	****	101	1111	4751	500	* 4 **	F		*40
Da Novelakara and have (C. FC. 13)	16 %	17400	10004	110	170	4.11	+410	4 4 6	4-1	4 445	100	140	470	****	410		440	* 1 50
) go-Brokepa	** **	****	(Artes	110	4211	4+11	110	440	470	599	101	100	170	54**	1127	F	140	***
ham no professioner	19 50	J.JVQBAR	1 (APPROVE	***	17.0	140	470	140	1-V	6.16	1811	1411	120	4.64	*10		1-11	-411
State of State	12. 19	7974040	1 BASKARTON	110	***	4.40	B+0	****	***	u t	In C.	450	••0	IN U	12.0	×	***	194
birthel - O'lebraum	re le			are	90	110	# 4 E1	4 v U	110	110	141.	*517	****	1811	W.0	1141	470	102
Martin I Test Based Street	45	1900	19000	.19	1-0	10.0	P.L	ja U	1* 0	1.6	391	1.0	140	au.	N.C.		AL.	Pr C
Li-tarper , terral-	HE. No.	11004	400	5.49	9447	140	440	440	470	5.845	100	EPI.	140	****	4111	ide f		****
100	14. 14	and the same of	*promout	1.45,	170	410	479	140	e- t-	* * * * *	***	1=0	17.0	****	110	p.	4 = 51	+117
fely a laborathyru	16 pt	170	:70	110	679	4411	4211	ent:	479	****	***	140	411	146	¥100	r	4.0	141
latione	12 %	-	4.000.00	13.0	176	225	110	-71	479	511/	****	140	170	191/	*10	<u> </u>	**1)	110
trans I d De lanc, others	14. 24	11.700*	100010	*10	61.0	141	4.75	101	420	***	***	***	150	140	- 10	r		***
trans 1 I Deplementario	15 14			1911	110	144	1741	4 + 15	470	1.19	340	10 U	£7.4	101	4111	•	140	• • • •
In the web.	14 94	2594	14000	***		141"	4.39	110	4717	****	1411	****	411	1011	1.17	-		*
for the other works of the 150		-	140-PT	110	474	4471	129	140	471	570	141		110	190	410	•		***
Traffront - branches began 1 hours 1111	14.14	17600004	Participal (Control of Control of	*10	47.0	117	427	400	4731	431)	100	49.5		100	*111		140	-41"
Name to the region	14.75	•	1700	4.41	110	****	112	6.01	470	****	410	100	179	****	510	•	140	***
													***		C.D.			

FARIETA
SUMMERSY DE SNAFTER AL SOIL RESULTS
1000-115-1 PELF LESS I BERK I INVESTIGATION
SUBTREMATION DUMBER AND ANDELL
MORAINE, ORID.

			n negalin (f. Norda na Normania (f) Normania (f) pro Normania (f) pro Normania (f) proj	AL III Control (1900) Al III (1900) Control (1900) Al III (1900)	17-17 N Mark Land AAS 442 145-280 Tarr Bun	17 12 - Seep comment and only 100 1000 See No. 2	FF 1; • gal-rate bar sac 1927ab and ba	el er • mysk samme tose mys s ingle er pane	TO III	PT 14 C browners in 1 cm ggs \$7357000 1 cm have	TT 15	Applied	12 to - seat seam 535 ets 918289 28 Rus	FF 12 . 36 jps milder a jale will 97093400 art Bus	17 (*) - prin desemble, app Western Combine	- of one chapters of a que 1975/2001 Too Rese	17 de - staat (dayle), gar de (dayle) (17 No.	P (a) ∼ March (Mark A* 15, 1919) (Mark (Mark A* 15, 1919) (Mark A* 15, 1919)
		استعماده د مداد ومنتوسده	Samuel Cont.															pag.
Transit e	4	1000										Dabe to						
Search Martin Commission Security and			,															
(C 17 Mary Characterists	3 14				100.0	1000	net	mes*	100	45411	400	Dev	200 11	tier-	···	nte l'	441	or v
243 Philipsophused	19.74	1100	a property of	190	1.0 tl	17917	164 ti	Peta Peta	10011	**************************************	ret cen	res ren		let t	7+1	/= ∙0	ted to	ter (r
i i n ^{la} ti nim spirovsi La l'est anopherol	44	1000	1000	100	140	1.901	see to	17841	IMU	'90 U	1780 L	1,000		1401	761°	900 E	1001	144 t*
11 Pro-sun Samuel	reg by	1/40000	1 pagades 1 pagades	THE ST	500 E1	79.0	140 (/ 445 ()	17911	net:	198 H	(1901) 1900 V	CHR			~e:-	290 11	2461)	14811
3 a Champegarant 3 a Champegalagean	17 14	120000	1,000	1901	J 10 (1)	48.0	2011	List 1	11457	14811	254011	400	749-11	401	14847	ear.	1947	440
2 o Phospolatura	19. 14	6 100k	بخور _{د.}	440	51.0°	280	2017	2014 94.0	and the same	terii Parti	,540 E	Ten. in	۱۱ مص ۱۳۵۱ -	200	IMPU Dell	con	(101)	1101
J C 1d**NovepteBuderon J C 1d**NopepteR	.q.1.p		1000	1001	510	11.0	***	P 4	60	140	1911	940 U	194.	110	340	⊅ 1.	40 to 40 to	70
2 has been regarded on	49.54	*1 000m	1 (1000)	,a (T)	- 111 Jen	*111	200	1 A (1)	Hev	44 LT	70 (400)		party.	240	u			****
) htt 64 gelanat) nitt forder	14 hg	114000	, lideon	4 10 11	201	2393*	der.	Det.	ate II	New L*	2001	200	les r.	40	talet)	COV	(161)	Nem Tem
2 Nov Princed	15.50	Title		186	101	1001	100	10	12 H	PATE	170 11	um U	(Je 1:	1101	Marie Marie		200	****
r is the factor of the second	19.14	1100	40.00	1800	710 ft	280.01	200		and the	961	Table 4.	Tena ()	, 14 IV	201	10-11-	Cele	2181	1101
ra Derter a matteripressor	77 14	6.19 6	conf.	1961	1AE 11	178 P	Herr No.	1541	1641: 121:	70-11	1760 L1	r*me t1	1001	1001	Terr	abel!	144.0	100 1
e Servington of physics atten- e i Mars, i speperbylened	72.54			190	pel II	170.0	see U	17611	tee!	No.11	DW1	# 11 17 0 11	1000	141	*5+1* **6+1*	er i	1001	MD MD
A Chimicarabase	17.14		- 1980	PM CF	۱۰ العمر ۱۹۱۵	PR D	41"	PAD MD	terri terri	78011 13411	1787 I 1781 L	eran er Maria		1601-	Terr Peri	/m11	144 (r	Sed I
s C lifeth planted phases to the t his life galaxies	19.74	11,000	120-000	490	2,000	1000	2011	2011	21011	****	19# U	14811	100	2411	1997	oru CPE	ner.	1101
1 Martine	15 40	•••	· -	49 H	jeti ueti	.0017	E911	2411	Hel-	141	Chair II	2 May 17	200 U	2000 CO	1-40-7	Cett	21411	41 0 11
4 Permissions As metabora	17.14	w/graham		-	1.00	100	****	100	*1	5 4	70	-,,	**	• •		141	100	713
a corpid- box	A 4	Teller	الخارهوا		* , tr	141	Total Dear	444	tal:	li dell'	711- 1141 (*		-	- 241	11.0	e pro-	••	14.61
n estilaceau neclair equ	ing high	-		194	-, 0	500	531	1411	"	••	71	- 0	,		-	1117	1141-	213°
registrations	ng-bg	100		, m11	Je tr	200	22011	2040	100	Net! DEC	run ti	1.00 U	300 11 100 11	nes.	1001	7-17	494	1007
Production of the Production o	15 14	144	:100		-24			,	in.	37	711	- p	gain to	. 4		*11		
Sugged in graphics	ng by ng bag	15	.10		t ***** *****	11					71.	~ r. ~ r.		. N		1 10		J
Percent Aglican quality on Percent & Joseph on Loya	** **			40	5.447	11		ü	i	•	70		Na		·	***	7	:
Becart Lynn, artiste	19.15	190	11000	100	un un)* 510	***	% 90	2411	7911		, mark	 No.	, se 1 -	111	E WI-	· ·
Paparents Sent 2 C Spread Burry and Study	19 14 16 16	-	-	288.17	1107.	11677	qui	Het	rau II	2911	He C	15 4 0	MI.	per	18411	new L	11417	401
britt Chierrolla liethen had Elle he er by billedele	19 44) Temp		1917	inc.	3141	100	100	Marin Marin	at 11	176.1	na o	parti	100 P	Marci Zinci	.de1.	100 to	114.
Period Magaza Spiral pariod in	· c 1.	.10101	-1085-0	1475	911		- t	* 1		440	Man.	940.0	de ti	41.	26417	≠ 1:	1949	0.0
Copiedia Lass Carbelloja	ne he ne ha	110000	12.00	'AU	part of	700	9011 912	A-10	est.	190117	nies (r	44 0	**************************************	2017 2017	Labor 17	the tr	****	Mg II Liji
Claren	At he	/100-	11.000	79	, ä.	15	9	ris .	116	****	71.	-,,	438	Ite	144	* 11:	-	-
Deleteration	19, Mg		219		-10	240	771 NO	- 60	190	11 to 14 to 1	170	-v	1901	2511	101	-10		***
Charles of principles	Nº Ne	-	1-354	100	411	84 (- 94 (-	40	95.07	6.6	2411	170 (1	WED.	(pro-	* 0	(144)	-t-	94	184
Description of the Control of the Co	16.16		- Depter	100	40	***	40	on ti	500 500	241	190 L*	W 0	(1961) (1971)	411	per-		***	Arp Arp
Dr. or - typ philipping.	is he			Het		***	40	M.IJ	110	Lm U eas	Marie De	We it	178.0	**** ***	rse tr	● 0	Acto	***
Fluid Maderier	ra be	Transm	: poples)- 3-	-20	710	***	, n	210			# * ~ p·	t' =	**	1760 1761	110	146	718
He will proper to the	74 M	₩	119	ие	-10	741.	190	90	- 611	50 200	TI-		yet:	****	Out.	4177	2.01	5.11
He un filmerbunderer He un filmer schepenterbren	79 hz	1/10/06 1/10/06	27,364 1795 34 0	100	94U 944U	17814	Syll: No.11	ret:	5; L	1900 12	The U	**** 1.	20073	-w-v	Leaf 1	640.7°	41 to	1611- 1541:
Person Pipersonilaries	rig he	126	12 49		4P	***	14 P	***	1.17	<u>141</u> 1	176 U	- u	195	. 40	Hat.	- v	V-11-	510
(milaret ()), he digit come (milaret ()).	** **	14 0000	i papito	mes!	sit.	40	40	40	5/11	190	570.0	160-11	1900	44.51			at te	611
Vapra alone	in he	190	- Paris - Paris	11	v	7.41 1,41	-10	- 10	**** 1801:	40 (91)	77 (* () 27 (*)	— t. 1200-ti	14 C 28 F	110	114	4 (t) (40 ()		1 a tr
Nette Property N. Nette park or party Longon	77 17	*1	.10	13817	100	44.0	90	9.11	52.0	200	SM II	1=0 U	1,910	w ti	25011	401	110-1	1101-
14 Netthentophers tenure	12 M	1939		1001/	44 U		94 U 1840 U	es (- L'at-	e u met	ZMI!	1781 1781	New St	gent met to	14.1	20017 7000	-411	511	top.
Frank Managhanai Flanting	7 14				*10	11	15		-	I ware	711	-v	,4	140	-	110	-4	144 U
Proces	17 H	(deserted) (magest	- Andread Anti-Anti-Anti-Anti-Anti-Anti-Anti-Anti-	110.17 1300	54 U	n e	W (*	***	1. U	100	1700	940 U	190 U	** U	neu :	40	t	00
•	* 4			.•	7.0	••	-	•		-	•	-	-	.~		****	1-	•

SUMACARY OF ANACYTICAL SOIL RESULTS 2004 TEST PIT/ JEST TALENTH INVESTIGATION 4-JUTH DAYTON DUMP AND LANDRILL MORAINE, OHIO

The column				Comple Eve tel in Schilde EC Schilde Evel Schilde Evel	is to get in the second second second in the	17 () 4-3644-1856-1379 60 102-249 21 (1 Rus	2 m gros 1645,000 73 M3-1605,00 2 TJL 400 13 M3	TO U WHAT FOR THE LATE BY 10 32000 10 41 Bus	17 L2 ~ 8545 24054-1319 618 203/26m 2117-5-11	17 11 F3RHF-003W (34): 017 903/30W YA 844	TT 15 SMALL ACCIDENTAL OF SMALL TO BOX	TT 1) > MILE MINE AND THE STREET CO. TILLS	a file and the about Although the about 12.11	FT in - great mean-gate ags brangen 3 yr Bus	TT (F STREET BYONE 12 (F v) c STREET STREET	THE BOY THE PARTY OF THE PARTY	162046 - 162046 - 1640461717 Eo	ET W SERVICE TOUT ME SERVICE (2)/ RGS	Pile - Main the measure why recognise for these	
Second	Parmet		Special day	Lader Control									(Lapfical)							
Second S	é le Cala																			
				-	49	AN .	119		1200											
March Marc						· · · · · · · · · · · · · · · · · · ·	- 31	,			" ···				-			-		:
The color The	lump.	my by	1986	190009																
March Marc																				
Second S	Lakeum	ang by											2400							
Second S		me he							131											
No. No.		me. he	*100	11900			194	**				163	 .		12.1		F2	••		
The color of the		10 14																111		
March 1									***	1840	444		1100	44.00	1967	1400	174	*****		
Sign	kingspr-	*g 1g																		
March No	Aller with Mig. (+1				13				***	• ,		ie.	•*•	to-	110	45	**		941	
Second	I Carollett	75.45																		
Manual M								110	119	t w t*	120	111	120	150	110	120	1.457	145	9451	
March Marc	No. August	togg by							201		₩.1r									
Second		me be		-		*111			**!	12.7	15.1		1911	11.51	17.12	1147		.,	401	
Marie Mari		PN. He		110000		1771	447	.441	14.1	70.1	47)	441	MC1	4/47	46.61	2.0	107	D7	•e	
Second Control Seco	A4																			
Control Cont		15 M																** 19	Per L'	
Section Sect	website (2006)						1717	**************************************		*0		-11								
Control Cont		15.14	20	-w	Ja U	5 .0	9011		F-0	P C	1" 1	36 1 .	#V	401.0	ALT.	er u	017	N1.175	die !	
Part																				:
1 1 1 1 1 1 1 1 1 1	AMERICAN CONTRACTOR (COMP.				» i	¥0		40											1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	5
1 1 1 1 1 1 1 1 1 1	Protector																			
Control Cont		14 14	***	1:00	NO	*20	100	ev.			#1 *									
Second Column Second Colum	14 15%	AL NO	1 100		411	0.0	0.0													
## 15										19.17		bet.	PU	res of	190	e u	2511	# V	Je tr	
Windstreet Win	-iple N€	74 Ye	-	270					***		**			in the						
April Second Se		ing he	~ ,	**						pin tr		Set (1)	m1:	1071	149.01	4.0		-1·	5.1	
No. No.	Apr De	14. Hz			420	*1.0	191.												17	
Process Fig. Fig.			*							18.57								4 tr	hel	
March Marc	byeternik an B	FF NE				*20														
Second State Seco		* *	1400	1,0000														4. 0		
Provide Contained Wind Value V	Louisse Adelysis	14 44			• **	•:	54**					****								
Section Sect			No.	:v=		120	1411	18.0										4.0		
The contract of the contract	Termer Chemister	146 M			*4 1.	-:0								1=1	1961	6.0				
Company Comp				.=			.40	28 E	****	19.81	16.5	Mile	141	1401	1-01	4.6	400	-11	* 1	
	Clinia contess	-9.14	******	*10000*	10/17	m to	211	3417	10.05			76.0			MI.					
	11 upplesse	/ 4 / 4 4	***	1-80	440 (*	~4 11	161	74611		** (*)	1-4(1)	True I	1401	-04(1	40-11		-1017	144.11		
																***			ati	
		16 Mc		"THEFT	E14	217	111											70		
15 12A 1845 165 2765 2865 285 285 185 185 286 286 286 286 186 286 286 286 186 186 286 286 286 286 286 286 286 286 286 2																				
Table 14 41 41 41 41 41 41 41 41 41 41 41 41			1-0	,,,,,,	• % 0	1940	*#C	+11 I	• 100	• • • •	*111	•171	474.0	≱ eo U	*****	•at	6.45	6301		
		``					• 1	*11	41	••	*1	P1		F.	***	•	7:	76.5	44	

SUMPLARY OF ANALYTICAL SOFF RESOLDS 2001 EST PIT/TIST TRENCH INSESTIGATION SOFFH DAYTON DUMP AND LANCELL ROBAINE ORIGI

			S regis () e otto m S capito (P) S regis (P) Po Stapito (P) poli-	IF IP	FT 26 - Mark and de Late and 1879-min	FT (# - Majo ryprob basis missis 10/2000 10/200	11 pp - graps panty i ver aga verticam al er mus	FF 21 • Metal common acres and **Marketing of Block	FF 21 - MALE INDIA ACID NA INDICEMENT FIRMAT	1871 - Jacob Jodine Kriti wa Halifani Teri Bah	TT 1; - determent tare on spiriture art for	FI ST CAMP CAMP LAN AND CAMPAGE CAMPAGE	Fig. 1 with an extension for the component of the compon	17.,1 ~ bress about (cyr)(d) 1867au 27.0 bo
		By garage of A	creez tand											
		Rend of Jord	fed plant 1 d											
f or many test	U-r-	1.00.00												
delile strates, conservate														
and the books with the same	107 10	****	-	1211		₩ 17	****	14400 11	141	- T	2 mars 1 ·		***	4.21
11. Interhiereben	~ ~	594	***	4.0		→ 13	140	Desc C	1.00	100 U	1000 1	-	FIN	4.0
112 fra bijerantiman	Her be	1100	***	420		(T) 1	1.00	110001			(PRO 1 -	→ :	941	4.15
1 1 Perliture of these	71 71	Name .	17000	1		-419	140	15000 17	-:• U	₩	1-00 T	+ 1	# c ()	4-14
I I De James Brown	- 4	/ refer	1 ideappe	121		(= 17	1.10	1140017	19817	tere to	page 11	14811	• • •	4.752
1.2 % Epidemioratur	4.5	e como	19.00	110		-	***	1199431	****	₩ U	· ·	- n	6117	1.0
La Laboreta - Adoptoproprior (1994) p.5	- 14	4.	*,	14.01		-11	411	gramm pr	****	med to		720 (1)	0.04	****
1 - Characteristics (Maries (Mariante)	- 4		179	1.0		· • u	110	Light 12	139.07	 0.0	spipe to	₩ 0	#4U	1.0
1.3 Theader obsessed of	44	2848484	100,000	4.0		/411	1.64	11,400 11	6.1		phage 11		9 4 1 5	- · · ·
1 : 1 to age melbarer	4 4	14	100	12.0		- u	210	Trans ta	190	- u	, www. cr	~~ U	• 11:	170
L. In the opening	-		-	110		/m 14	2 4 2 5	11401	349.17		··	S40	• 410	67.0
1 - Deldersterett	49.5			510			*40	HIPPO LI	190		make 11	- ·	****	100
I d De Marcherson	45	-	1900	510		(2.11	1.17	11.000	01	21				470
. Parlament Blegen r Weil berteint ;	44	-	-	no		(We Let	P.I.	tures to	: m (MAN U	781	1000 (7	254	100
				1111		1349 LB	ni.	1540	1981		*1817	10001	110	10.0
(barrers	19 14		1,000,000	60		13010	E1:	MARKET !	100		7000	121	11.0	1547
4 Mothers - Printerman (Modily i Berlegis) Melegies	44 14	/~*****	11000	A."		100.00	41	-	19617	*****	70017	19818	150	12.0
Salaye	ng/hg	+1000MV		201		794	500	-19-	001		tie!	(91)	410	170
Management	10.54	1199				740	111		100 ((PM 31			
to m bid-ratebur	14.14	1990		5219							pent 11		*4**	6.0
The steem	14.6	1499	1.004	1.0			****	a prompt (2.61	44 11		401)	••0	474
Brown our Spage of Marillo S. Brownings (146.14	7-90	****	4.11		~11	***	Tibos 4.	****		peter for	W III	***	4.75
t when doubling	14 14	17004	4000.0	• • •			****	11.401	300 V	700 11	(868.11		***	171
Culor whateran	- N	140	1960	*21*		1918	****	LI SERVITO	52 P 1"		place 1.5	•	***	4211
(time stanting	14/14	150040	14000	*21*		terit	5.40	11001	101	41	person to		* 11"	470
1 Marriedhau	r4 14) Lépande	-210000	519			1411	spining to	520.0	₩.0	parties to	· ·	# 41°	471
· Menderma Inchinguettama	75.75	•	196	5 17		277.7	110	A COUNTY OF THE PERSON NAMED IN	491"		(MOR L/	He 11	• (1)	4751
i Merecullaga (barje in Mende)	46.14	(***	***	450		:=014	1411	M	128.11		p=00 11	No. 1	a Lite	4.71
out 1.4 De Microstone	14.4	-	100-0-00	1.4		2911	3.41*	new t	~	1440	1561	\.		4.73
· m 1 > 12m laborage seporat	14.74			1,0		(44.0)	140		120.0		page to	*** (**	440	410
Contractor	19:19	">400V	****	101"		401	10.0	****	494 C	gave 1 ·	100	~	1741	*10
University bloods and the same	14.44	100	1100	1715		411	*417	new C	PP P	WE U	r== 1 ·	NO.	P411	100
The term had not represent to Pt. 1.1	19:14	17000	744	510		/~U	140	11 000 t	101 U		- v			
han between	19.14	1790	740	1.0		1944	548		. 5e	. 7,4	7 77	160	•10	i-e
	na/ha	1000	110.000	110		7 9 U	110		CT.	100	i. zial	1741	F411	170
ledychiji Wenderm	-	70000	Turbunda.	40		- u	110	: Marie (7	31	2000		1001	ru.	*10
Method as etally	**	*******		100		= ŭ	110		101	14001	414	1746	2.0	110
harmed , to below more			1994	200		100.00	20		190	1900	201	iwev	****	PV
Melik i Ten Buryi Bilan	16.76	*****	466	210		1945	140	uen v	180		1981	-	410	(-0
Marting layer - I despitals	M-14	11000		.114			110	DESCRIPTION OF THE PERSON OF T	2018	= 0	1991		410	470
Wegania.	4 4			710			., .,		100	4 07	inge (-		410	1-0
Tetre Mercellana	14 H		:**					Home C.			/24			
labarya.	44	ADMINIST.	1-0-0-00	1111		241	Sit	10veu	1007	71			640	479
Care I & Dis Morrothers	-4 14	11000	- Constant	*;0		:=11	***	I LORE 1	<u>~</u> ,	4=1	Name of		*41	4.0
non 1 1 Decision-propriet	-e 4e			1:0		J=U	140	ii-m (M# C:	100 U	1000 11		840	471
In Marie Com	-11	S == 1	1000	* 2.4*			* 11:	1 (40)	-	≔ 1	proper t	Nati	"	• 🕫 1
Introduce product (CI - 11)	-c 14	100040	Héasa	510		Jes Ut	****	Here (*	UM C		See (-		140	4*0
(many) West ber item it.	44	Charles	14947004	4.5 kg			***	1100011	1301		page 11	₩.	*11:	470
1 may endaments	-		- m-	5111		29.45	540	\$14 06 \$1	11	An. 1"	1988.17	. •	. 940	575
							101					1700	12.0	121

TABLE 1
SUMBLARY OF ANALYTICAL SOIL RESULTS
2004 TEST PIT/TEST TRENCH INVESTIGATION
SOUTH DAYTON DOMP AND LANDELL
MORAINE, ORIO

Part				Comple Lawre op Comple (D Sumple Date	(642)-e 73 (4) (4), (6) (5) (4) 12 (4)	TY 14 ~ Select out Tendent ess 14 Prime " It Bus	TO SEE SEED OF THE SEED OF T	TT 18 C Majo (Miles Miles del Jerryani (17) Box	FT 21 y system (bands 5,519) ETP FORCES Tot 864	FT 21 to SELLE COMMUNICATION FOR 1980/2001 any Staff	Er (1 Sanda region Anti-eri 1992/2004 Trip Bus	17 to SHIF-INDE LLIF was 105-200 HE Bus	fr p equipo paga apre apr tendas	TT 21 C SEAS-LONG SULT SET 1902/00 TH SULT	(4) (2007 (4) (2008年12月) (2017 (7) (2017年12月) (2017年12月)
Part				- Coppel	1/125	11 343		1177 865	# B C*	3 /r acr	17.00	· // BUS	7111345	W 80-	9/130
			Brockwood wal	[min-rad par											
	For water	U													
			-												
	term Labelate Departs Laborated														
Standard	22 (tar (larryryan)	ng hig								U# 17					
Secondary Seco	CAS forth-replaced										940 0			Z•V	
Section Sect															
				1,000											
Plane															
Part					1101										
Second															
Final	4 Chine rough Budron														
Section															
Part															
Marchan Marc				1											
Part								₩ (*		439 L	114013	1460	₩ c		
Part															
Part															
Part			- 100	•											
Part															
Part				200											
Marchand Marchand										NAT U					
Septem	6 Albithytiplacemil	rg bg													
Number			J 1000	1000				146.51							
Marchannes															
Part			1100000	14000											
Marker			700.00	****											
Part		46 34			**										
Marting Mart	'In no	re/He													
Part													· · · · · · · · · · · · · · · · · · ·		
Part					. 5		i .			****	144.51	1 7	4 m m , 4 m		
Part					l		1			7,4			1		
Process					ii ii	ia.		-		m 1'		4.	UI		
Part			1900		•-										
Part															
Part															
Part															
Part		2.2	11000												
Female									Energy.			7100 11	sales 17		1541
Part						-									
February February				31 4630		**									
Process			14	246											
Anti-production		14 hg													
Part			******	,											
Proof-produce Proof-produc		ig by	*1000mg	-2repose				will the	*100	678 U	DATE	1980 11	Ter 11	200	91
Processor Proc	De se metti plettadata	12.44				- P									
Marchester 10 10 10 10 10 10 10 1															
Procession Process P															
Process															
Second Control Seco															
Marie Mari									Feet 51	4.00	v ≠ 17	IMIT:			Ht.
Inspiration Mark	polonyl 2 lengthern	· 4. Hr	154	.166	7811	•		r		NV.					
Production 16 of Page 1000 101 1 101 102 1	Iraphapea														
Companies and Companies Companies and Co															
Consistent Con								190							
Percelamphonal দুশীর অসম শীলে (এই সুক্রা) একটি একটি একটি শুক্রাট উন্নাট উন্নাট একটি Percelamphon নুধু শুকুর বুলি স্থান স্থান কর্মা বিশ্বস্থান স্থান কর্মা															
িন্দ্রকার বাহি বা															
Phonol of the Manuary Improved to the test that the test that the test that	Phenantherie	44 14			4	29		**	-		-	***	yes.		*21
Proper reg. by 1980,000 55 1990 238 AR 1990 CD 5551 "255"	Phone	15.74													
	Prepar	ના ધ	170000	1,00000	**	*10		N.	100	219	**	•	64	640	- 144

TABLE 1
SOMMARY OF AN ALYTICAL SOCIETION IS 2004 TEST EXTENSION FROM EXTREMENT AND CAMBRIC MARKAME, ONLY

			Sangar (s. astron n. aggir (b) n. angsta (b) da n. angsta (b) dk	13 or S Mills February 207 700 For thus	of the second se	FILE p least with they activ 107/2000 "In Auto	21 70 Constituted to 2550 the 1000 to the	(11.2) u kasa Alabas perip dap santifas 19 dasa	11-71 o la rescionada haso mor 1100/100 e pulhos	17 'Y Charles (Marie 2 o IV mod Hallis (Marie 17 or Boss	III • Mark (Mindy 1375, 168 (Mindy) • 10 Bus • 11 Bus	11 2 - Maja nilata kara sah 1847aa 24 Mas	11 - print merske kant skil 100/2000 1/4 Br	(1 .5 - Werk Helde J acc 455 Heldesau 1977 Rose
		Resident of the	Ford for it any											
to conse	u.e.r.	1.00.00	190											
Marata														
there are		~	T-mad	re	140		~	414		43	.etmy	-	11700	49
Comments Services				- 111			2	64	13.	22.43		S 21		
hann-	***	200	1	793	1/7	1	91	3170		90		•	****	1997
Res officers	*** 16	146	200	P555	4-41		*117	101	141	4 50 1		157	4-41	140
a men	-10 fg -10 fg	•	***	4	HE E E		4-11 p	17 °1	1 1 1 1	419)	II (I	1.71 (Com	22	* G 1 1/100
Character band		~	186		90		- 77		40		181	451		741
1.64	··· 4 y4	t.	•	191			***	7.		0.81	4197	1611		
-874	74 4	1990	lente Tutter	***1	(6.00)		25.11 25.11	41.1	-	100	E-4	V(b *1.00	Bet !	***
less Lend	74 44 118 14	-	~	10.11	2.00	i .	**1	~	1			61	,	*.4
Magnetica	mag bag			-	11.00		1-40	100	rile.	(mage)	-		· Phy	N-Mar
Magazin		-	2º mbe	101	weg to		***		•:2		**4	7.0	hul	200
Mensey No set	one by	1-00	in the second	***	· · ·		*//	157	19.79	10-1	101	0.0	4 1994 7	Play
Teleronia.	reg la			*1"	.19			-	••	1-0	***	r-	l ede	
Miner	⊹g bg oog bg	2	5 (B)	36.75c	le: 1		1432	141	**1	4-11	****	741	47	14.71
Maria Nation		_	****	1291	íi e		M*11	201	w/1	10-0		120	ή,	110 561
(Indian-	ing he	**	-	4110	#155		41234	F#1:	# get	****	****	F13	324	- /n
Zee	nog bg	-	1700	u-	111 1179			:100	÷	net.	100	513	12.4	41 14
L26														
ben by 1814 (Pt & 1816)	48 M		31400	411	or.		-1 1	Plante	at ut	40017	e-1.	47	me:	80
George 1.31 (PCB 1.35) George 1.31 (PCB 1.32)	14 to	(20 (24	***	90	et e		***	10m (1	910	(# 1)	94 P	16 P	***	n p Ne
Series California (160)	4 4	124	749	40	un.		***	ENGINE ST	414	ese i.j	·	# 11	** 11	***
weeke 1,46 (Pull 124h)	-14 Mg	E4	748 148	% (* 16.)	2411		9411 1417	2106 (t	41 U	400 II	•••	An (*	4*0	**1
Gerger (1 april 2 apri	44	E+	10	**	1517		*17	river (41.72	64E 11	41.		64.17 141.8	A. 14
futute														
4A D00	- N	3990	TION	1917	6.0		40	29.0	2001	210 ()	2000	"pair"	100	*10
44 004	10.16	170		1919	D)		1914	470		21011	200 ·	200.00	776 1779	*10
ALU:	14.14		100	180	15 (*)		14.0	146	21011	2019	in U	2411	110	110
ope RF	14 14	-	.79		0.0		10.1.	79t-	140 th	21071	7 m (* 2 m (*	400	1511	*10
apin t identare Inte Mil.	-12 Mg	re	~	700	44		141	190	.00	200		4011	12.0	*117
Art - 10 F	44		_	189	611		1017		23032	: 100	* ₩ 10	16.11	194	*157
Politica Assistantian 2	- 14 H	•	11"	140	80		90 40	1 546		2000	2000	, ang. ratu	110	*10
Brefressiller II	78 Mg			140	611		18.11	241/	200	21911	24011	200 (7	111	200
Endoralism relativ	75 %			141	W.1:		4.0	2 M 1*	2007	21011	***	/184-	1507	110
E-minus E-minus pidatelorale	4 4	1900	Labour	141	16 to		art:	101	18 C	200	146.11	141	1517	*10
Later Later	reg log			160	15.11		1011	101	18.65	246.01	. .	.48.11	151	*111
garrage Bill Charleson	4.4	329	2886	140	1511		1017	2001) NO.1	.ne	14 to	.= c	40.0	110	****
gipena i Merrima Heylerider	14 ha 14 ha	114	-	185	W.C.		100	200	200	.101)	:	700	20	110
Haplar Mex eya arle	H 4			1411	45.0		100	141	are	:170	See (c	3011	e e	440
Metary Mar	44.44	31- 46-1	Visiteds (-db)	350	ander i.		(a. c.	00 0 11	March II	4.04 (Nagy 15 Hollow (*	100 L	MAN STREET	10.1
Ta saphora		-	1-20		-		•	-12-1-			10-001			440
Heliania (43 Proper)	14 Hz	1-204	(manual	nv	as v		30	,7em μ	12011	1001	• 0	110012	•••	are
24 De sécriptorie er a else à el (LAD)	-e- +e	1-000	France	# 11	neti			r name and	(=0.1	(marin)	E9U	44011	1940	
(compared in Association)		1-0	1000		••		3 at 11	n-	**	2511	* 31	**1	*****	****
Cympalestards Toud Sebilis	eric by	149	19000	***	7.7	a.·	# ·	3.	411	414	- 31	31	****	***

Princerol
Princerol
Princerol
Interprincerol eterologists alon
United to the princerol

TABLE 2 Page 1 of 2

SUMMARY OF ANALYTICAL WASTE CHARACTERIZATION RESULTS 2008 TEST PIT / TRENCH INVESTIGATION SOUTH DAYTON DUMP AND LANDFILL MORAINE, OHIO

Parameter	Units	Sample Location: Sample ID: Sample Date: Sample Depth: TCLP Regulatory Level	Black Saud Fill (TP1, TP3, TP4) S-38443-092408-KMV-WSF 9/24/2008 b-18.b ft BGS	Black Saud Fill (TT-7, TT-20) S-38443-100708-KMV-WSF2 1Q7/2008 6 & 15 ft BGS	GrayBlack Sand/Gravel Fill(TF-21/TT-22) S-38443-100808-KMV-WSF3 1QR/2008 6-8 ft BGS	TT-20 5-38443-100808-KMV-071 10/8/2008 -	TT-21 Drum 5-38443-100808-KMV-070 10/8/2008 7 ft BGS
TCLP Volatile Organic Compounds							
1,1-Dichloroethene	mg/L	0.7	0.070 U	0 070 U	0.070 U	0 070 บ	0 070 U
1,2-Dichloroethane	mg/L	0.5	0.025 U	0 025 U	0.025 U	0 025 U	0.025 U
2-Butanone (Methyl Ethyl Ketone)	mg/L	200.0	0 25 U	0.25 U	0 25 U	0 25 U	0.27
Benzene	mg/L	0.5	0.025 U	0.025 U	0 025 U	0.025 U	1.1
Carbon tetrachloride	mg/L	0 5	0.025 U	0 025 Li	0 025 U	0 025 U	0 025 U
Chlorobenzene	mg/l.	100 0	0.025 U	0 62	0.025 U	0 025 U	0 059
Chloroform (Trichloromethane)	mg/L	6.0	0 025 U	0.025 U	0 025 U	0 025 U	0 025 U
Tetrachloroethene	mg/L		0 07 0 U	0 070 U	0 070 U	0.070 ∪	0.070 U
Trichloroethene	mg/L		0 050 U	0.050 U	0 050 U	0.050 U	0 050 U
Vinyl chloride	ing/L	0 2	0.025 U	0 025 U	0.025 U	0.025 U	0.097
TCLP Semi-Volatile Organic Compounds							
1,4-Dichlorobenzene	mg/L	75	0.0040 U	0 0040 U	0.0040 U	0 0040 U	0 027 U
2,4,5-Trichlorophenol	mg/L	400.0	0.020 U	0 020 U	0.020 U	0.020 U	0 13 U
2.4,6-Trichlorophenol	mg/L	2.0	0.020 U	0.020 U	0.020 U	0.020 U	0.13 U
2,4-Dinitrotoluene	mg/L	0 13	0.020 U	0.020 U	0.020 U	0.020 U	0.13 U
2-Methylphenol	mg/L	200.0	0.0040 U	0.0040 U	0.0040 U	0.0040 U	0.37
3&4-Methylphenol	mg/L	200.0	0 040 U	0 040 U	0 040 U	0.040 U	0.93
Hexachlorobenzene	mg/L	0.13	0.020 U	0 020 U	0.020 U	0 020 U	0 13 U
Hexachlorobutadiene	mg/L	0.5	0 020 U	0.020 U	0 020 U	0.020 U	0 13 U
Hexachloroethane	mg/L	3 0	0 020 U	0 020 U	0 020 U	0.020 U	0 13 U
Nitrobenzene	mg/L	2.0	0.0040 U	0.0040 U	0.0040 U	0 0040 U	0.027 U
Pentachlorophenol	mg/l	100.0	0 040 U	0.040 U	0 040 U	0.040 U	0.27 U
Pyridine	mg/L	5 0	0.020 U	0 020 U	0.020 U	0.020 U	0.017 J
TCLP Herbicides							
2,4,5-TP (Silvex)	mg/L	1.0	0 10 U	0 10 U	0.10 U	0 10 U	0 10 U
2.4-Dichlorophenoxyacetic acid (2,4-D)	mg/L	10 0	0 50 U	0 50 U	0 50 U	0 50 U	0.50 U
ICLP Metals							
Arsenic	mg/L	5 0	0.0052 B	0.50 U	0.50 ป	0.50 U	0 0062 B
Barrum	mg/L		0.71 B)	0.92 B	2 0 B	1 2 B I	218]
Cadmium	mg/L		0.027 B	0.0039 B	0.091 B	0 00071 B	0 064 B
Chromium Total	mg/L		0.50 ∪	0.50 U	0.50 U	0.50 U	0.0067 B
Lead	mg/L		10.6	0.050 B	12.2	0.50 U	91
Mercury	mg/L		0 0020 U	0.0020 U	0.0020 U	0 0020 U	0 0020 U
Selemum	mg/L		0.25 U	0.25 U	0.0043 B	0.0048 B	0.0061 B
Silver	mg/L		0.50 U	0.50 U	0.50 U	0 50 U	0.50 U
	٠,						

A STATE OF THE PARTY OF THE PAR

SUMMARY OF ANALYTICAL WASTE CHARACTERIZATION RESULTS 2008 TEST PIT / TRENCH INVESTIGATION SOUTH DAYTON DUMP AND LANDFILL MORAINE, OHIO

Parameter	Units	Sample Location: Sample ID: Sample Date: Sample Depth: TCLP Regulatory Level	Black Sand Fill (TP1, FP3, TP4) 5-38443-092408-KMV-WSF 9/24/2008 6-18.6 ft BGS	Black Sund 1 ill (T1-7, TT-20) S-38443-100708-KMV-WSF2 1Q7/2008 6 & 15 ft BGS	Gray/Black Sand/Gravel Fill(TF-21/TF-22) 5-38443-100808-KMV-W5F3 1Q/8/2008 6-8 ft BGS	TT -20 5-38443-100808-KMV-071 10/8/2008 -	TT-21 Drum 5-38443-100808-KMV-070 10/8/2008 7 ft BGS
PCB ₅							
Aroclor-1016 (PCB-1016)	μg/kg	*	200 U	190 U	43 U	38 U	
Aroclor-1221 (PCB-1221)	μg/kg	-	200 U	190 ป	43 U	38 U	-
Aroclor-1232 (PCB-1232)	µg/kg		200 U	190 U	43 U	38 U	
Aroclor-1242 (PCB-1242)	µg/kg		200 U	490	43 U	38 U	-
Aroclor-1248 (PCB-1248)	µg/kg	-	1200	190 U	43 U	38 U	-
Aroclor-1254 (PCB-1254)	µg/kg		200 U	320	43 U	38 U	-
Azoclor-1260 (PCB-1260)	µg/kg	-	200 U	190 U	43 U	38 U	
TCLP Pesticides							
Chlordane	mg/L	0.03	0.0050 U	0 0050 U	0 0050 U	0 0050 U	0.25 U
Endrin	mg/L	0 02	0.00050 U	0 00050 ป	0.00050 U	0.00050 U	0 025 U
gamma-BHC (Lindane)	mg/L	0 4	0.00050 U	0 00050 U	0.00050 U	0 00050 U	0 025 U
Heptachlor	mg/L	0.008	0.00050 U	0 00050 U	0 00050 U	0.00050 U	0.025 U
Heptachlor epoxide	mg/L	0.008	0.00050 U	0 00050 U	0.00050 U	0 00050 U	0 025 U
Methoxychlor	ing/L	10.0	0 0010 U	0.000054 J	0.000042 J	0 0010 U	0.050 U
Toxaphene	mg/L	05	0.020 U	0 020 U	0 020 U	0 020 U	10U
General Chemistry							
Cyanide (total)	mg/kg	-	0.61 U	0.21 B	2.0	0 19 B	
Ignitability	deg F	-	180 >	140 >	140 >	140 >	140 >
pH Corrosivity	s u	-	8 1	8.3	79	8 3	7.6
Sulfide	mg/kg	-	19 6 B	56.3	426	18.6 B	489
Total Solids	%	-	81 6	85.3	77.1	85 9	73 7

Notes

- > Greater than amount shown.
- B Estimated
- B Estimated
 J Method blank contamination (Inorganics).
 J Estimated (Organics).
 U Non-detect at associated value.
 - Not applicable.

TABLE 3

TEST PIT AND TEST TRENCH INVESTIGATIONS SOUTH DAYTON DUMP AND LANDFILL SITE MORAINE, OHIO

Test Pit/ Test Trench	Test Pit/Test Trench Excavation Date	Sample ID	Sample Depth (ft)	Stratigraphy	Waste Types	Depth to Water (ft bgs)	Water Elevation (ft anisl)	Excavation Depth (ft bgs)	Bottom Elevation (ft ansl)	Maximum PID Reading (ppm)
TPl	September 23, 2008	S-38443-092308-KMV-004	4	well graded brown sand and gravel fill with large cobbles 0-	concrete, car springs, molten	13	707 39	13	707 39	2 0
1	·	S-38443-092308-KMV-003	6	4.25ft, 7-inch black sand layer at 17ft, poorly graded moist gray sand fill 4.25-6.5ft, poorly graded, moist, black sand fill 6.5-13ft					1	
Ì		S-38443-092308-KMV-002	8	Isand iii 4.25-6.5it, poorty graded, nioist, biack sand iii 6.5-15it	container with metal shavings					
		5-38443-092308-KMV-001	13				<u> </u>	1	<u> </u>	ļ
TP2	September 24, 2008	S-38443-092408-KMV-005 /D	1	fine grained, poorly graded, moist, brown sand fill 0-1 75ft,	wood, concrete, and metal shavings	6		7	706.96	1.0
<u> </u>		S-38443-092408-KMV-006/D	_ 5	grey, moist, silt 1.75-7ft			.	L		
TP3	September 24, 2008	S-38443-092408-KMV-007/D	4	fine to coarse grained, well graded, moist, brown sand and	large concrete pieces, rubber mat,	16	1	16.2	709.43	1.0
•		5 38443-092408-KMV-008/D	9	gravel fill 0-4.5 ft, mixture of black and foundry sands 2ft,	concrete building blocks, scrap metal,		1			
Ì	ì	S-38443-092408-KMV-009 /D	10		4-inch diameter steel pipe, foundry		1		ì	1
		F-38443-092408-KMV-010	14	16.2ft	sands, re-bar, twelve 20 gallon poly				1	
		S-38443-092408-KMV-011 /D	16		tanks, three crushed steel drums, and "oil boom socks"					
TP4	September 24, 2008	S-38443-092408-KMV-012/ID	5	compact, fine to coarse grained, well graded, moist, dark brown	blocks, slag, wood, foundry sands,	NA	NA	18.6	712.73	0.0
1	1	S-38443-092408-KMV-013 /D	10	sand and gravel fill with large cobbles 0-6f, compact, medium	circular pieces of mica, glass, metal)	ì	i	
		5-38443-092408-KMV-014/D	19	grained, poorly graded moist, gray/black sand fill 6-18 6ft	strips, window glass, wire and tin		ļ	ľ		
TP5	October 6, 2008	5-38443-100608-KMV-054/D	8	compact, fine grained, poorly graded, moist, brown sand fill 0-	wood, wires, pieces of metal, paper,	NA	NA	24		189.3
		5-38443-100608-KMV-055/D	12		glass bottles, tin cans, wood blocks,				1	1
		S-38443-100608-KMV-056/D	17	with some cobble 13-24 ft	concrete clocks, slag, tires, newspapers, fan beits and rubber					-
TP6	October 6, 2008	S-38443-100608-KMV-057/D	11	compact, fine to medium grained, well graded, moist, black	wire, glass bottles, small pieces of	NA	NA	22		0.0
i		S-38443-100608-KMV-058/D	20	sand with some gravel 0-17.5 ft, medium to coarse grained, well				ì		ŀ
1				graded, moist, brown sand and gravel with some cobble 17 5-22	nuca, copper, lots of 2 gallon tin buckets and coils		1	•		
TTI	September 26, 2008	5-38443-092608-KMV-018/D	8	compact, medium to coarse grained, well graded, moist, brown		NA	NA	15	T	0.0
1	1	S-38443-092608-KMV-019/D	15	sand and gravel fill 0-10 ft, compact, fine to coarse grained, well			1			
				graded, moist, brown sand and gravel with some cobble 10-15()			L			L
TT2	September 26, 2008	S-38443-092608-KMV-020/D	9	58 ft from western fence line, dense, fine to coarse grained, well		13.5	ľ	13.5		0.0
<u> </u>		S-38443-092608-KMV-021 /DMS/MSD	14	graded, cemented, moist, grey/dark brown sand and gravel fill with some silt, some clay, cobbles 0-13 5ft	·					
TT3	September 29, 2008	S-38443-092908-KMV-022/I)	5	compact, fine grained, poorly graded, moist, black/brown sand		16		16.5		0.0
		5-38443-092908-KMV-023 /I7	10	fill 0-11ft, compact, fine grained, poorly graded, moist, beige	glass pieces), bricks, old poly sheeting,		1			
]			sand 11-15 ft, dense, medium to coarse grained, well graded,	tın, concrete blocks	•	1		1	
<u></u>	6 4 4 20 2000	C 20442 002000 KMU 02 (22		very moist, brown sand and gravel 15-16 ft		70	 		 	1
TT4	September 29, 2008	S-38443-092908-KMV-024/D	3	well graded sand and gravel fill with pea stone fill 0-2.4ft, dark brown layer with a 2" red layer 2 4-4.7 ft, white layer of line-	giass, tin and rubber hose	20		20	1	0.0
		S-38443-092908-KMV-025/D	-	like material 4.7-6.0 ft, fine, poorly graded sand fill with some	1		1			1
1	ļ	S-38443-092908-KMV-026/D	9	well graded gravel 6-12.7ft, dense, medium to coarse grained,	1	Ì	1	1	1	1
1		5-38443-092908-KMV-027/D	12	well graded, moist beige sand and gravel with cobble 12.7-20 ft			1	1		
		S-38443-092908-KMV-028 /D	20		 	ļ 	 	 	 	
TT5	September 30, 2008	5-38443-093008-KMV-029/D	3	compact, fine grained, poorly graded, moist, brown/black sand fill 0-	wood timber, glass bottles, scrap metal,	NA	NA	19.6	1	0.0
		S-38443-093008-KMV-030 /D	7	15.2 ft, poorly graded reddish sand 5-8.3 ft, compact, fine grained, poorly graded, moist, brown/black sand fill 8.3-15.2 ft, dense, medium	bricks, little slag and asphalt		1	1	1	
	1	S-38443-093008-KMV-031 /D	14	to coarse, well graded, moist, beige sand and gravel 15 2-19.6 ft			1	1	1	
	 	S-38443-093008-KMV-032/D	17	To some of the second s			 _		 	_
TT6	no samples obtained		<u> </u>	 	asphalt	ļ	<u> </u>	<u> </u>	 	
TT7	October 7, 2008	S-38443-100708-KMV-0o1/D	6	compact, fine grained, poorly graded, moist, black sand with	bricks, tile, wood, concrete and	NA	NA	20	Į.	3.6
	1	5-38443-100708-KMV-062	10	some gravel 0-17 ft, odor noted at 6 ft, medium to coarse	newspapers				I	1
1		S-38443-100708-KMV-063 /D	16	grained, well graded, moist, brown sand and gravel with some cobble 17-20 ft					1	

TABLE 3

TEST PIT AND TEST TRENCH INVESTIGATIONS SOUTH DAYTON DUMP AND LANDFILL SITE MORAINE, OHIO

Test Pit/ Test Trench	Test Pit/Test Trench Excavation Date	Sample II)	Sample Depth (ft)	Stratigraphy	Waste Types	Depth to Water (ft bgs)	Water Elevation (ft amsl)	Excavation Depth (f1 bgs)	Bottom Elevation (ft amsl)	Maximum PID Reading (ppm)
7178	October 6, 2008	S 38443-100608-KMV-050 /D S-38443-100608-KMV-051 /D	4 15	compact, fine grained, poorly graded, moist, gray/black sand till with some gravel and some silt 0-11 ft, medium to coarse grained, well graded, moist, brown sand and gravel with cobbles and a little silt 11-22 tt	brick, glass, scrap metal, broken dishes, clay drainage tile, wood, foundry sands and multi-color layers of cords	NA	NA	22		1.1
119	October 3, 2008	5-38443-100308-KMV-047 /D 5-38443-100308-KMV-048 /D 5-38443-100308-KMV-049 /D	7 17 22	and gravel fill 0-22 ft, odor present at 7 ft	glass, slag, concrete, mop heads, broken stain glass windows and glass milk bottles	NA	NA	22		239 6
TT10	October 3, 2008	5-38443-100308-KMV-044 /D 5-38443-100308-KMV-045 /D 5-38443-100308-KMV-046 MS/MSD	5 10 15	dense, fine to coarse grained, well graded, moist, brown sand and gravel fill with cobbles 0-2.5 ft, foundry sand 2.5-12.5 ft, compact, medium grained, poorly graded, moist, black sand with some silt 12.5-18.5 ft, medium to coarse grained, well graded, moist, brown sand and gravel with some cobble 18.5-	wood timbers, glass bottles, scrap metal, bricks, little slag, asphalt and concrete blocks	21 5		21.5		10
TT11	October 2, 2008	5-38443-100208-KMV-041 /D 5-38443-100208-KMV-042 /D 5-38443-100208-KMV-043 /D	5 10 21	dense, fine to coarse grained, well graded, moist, brown sand and gravel fill with cobbles 0-20.5 ft, a little silt ad clay at 8 ft, mainly brown sand and gravel with cobbles at 13 ft, medium to coarse grained, well graded, gray/brown sand and gravel fill 20.5-21 5	cobbles, concrete, metal sign, asphalt, pieces of wood, bricks, large pieces of concrete, pieces of metal pipe, steel bumpers used to guard loading docks	21.5		21.5		0.0
TT12	October 2, 2008	S-38443-100208-KMV-038 /D S-38443-100208-KMV-039 /D S-38443-100208-KMV-040 /D	5 10 21	dense, fine to coarse grained, well graded, moist, dark brown/black sand and gravel fill 0-9 ft, fine to coarse grained, well graded, moist, light brown sand fill 9-12 ft, compact, medium to coarse grained, well graded, moist, brown sand with some gravel 19-22 ft	bricks, asphalt, concrete, slag and pieces of clay tile pipe	21.5		22		0.0
TT13	September 25, 2008	S-38443-092508-KMV-017 /D	7	compact, fine to coarse grained, well graded, moist, brown sand and gravel fill with cobbles 0-3.5ft, compact, fine to coarse grained, well graded, moist, brown native sand and gravel with cobbles 3.5-7.2ft	bricks and asphalt pieces	21		21		0.0
TT14	September 25, 2008	5-38443-092508-KMV-015 /D	3	compact, fine to coarse grained, well graded, moist, brown sand and gravel fill with large cobbles 0-4ft	iron rods, bricks, concrete, wood, metal sheet and clay drainage tile	3		4		00
TT15	September 25, 2008	5-38443-092508-KMV-016 /D	86	from south end of trench to 10-feet north, compact, fine to coarse grained, well graded, moist, brown native sand and gravel with large cobbles. 10-feet to 24-feet total trench length, fill with sand and gravel, cobbles 0-8 8ft	wood timbers, plastic drinking bottles, Styrofoam, concrete pieces, pieces of plywood, small pieces of metal brick, asphalt, and large pieces of slag	9.3		10		0.0
TT16	September 30, 2008	S-38443-093008-KMV-033 /D	2	compact, fine to coarse grained, well graded, moist, brown sand and gravel fill 0-9 ft	concrete blocks, concrete with re-bar, asphalt, bricks and wood	7		9		-
TT17	September 30, 2008	S-38443-093008-KMV-034 /D S-38443-093008-KMV-035 /D	5 14	loose, fine grained, poorly graded, moist, brown sand and gravel fill 0-14 ft	large concrete pieces, re-bar, wood, scrap metal, bricks and stumps	NA	NA	14		0.0
TT18	October 1, 2008	S-38443-100108-KMV-036 /D S-38443-100108-KMV-037 /D	5 12	compact, fine to coarse grained, well graded, moist, brown/black sand and gravel fill 0-3 ft, compact, very fine grained, poorly graded, gray/black sand fill with some little gravel 3-10 ft, compact, medium grained, poorly graded, gravel with little fine sand 10-12 ft	1	12		12		0.0
T119	Orfober 7, 2008	S-38443-100708-KMV-059/D S-38443-100708-KMV-060	9	compact, fine grained, poorly graded, moist, brown sand fill 0-1 ft, medium to coarse grained, well graded, moist, brown native sand and gravel with cobble 8-14 5 ft		13		145		0.0

TABLE 3

TEST PIT AND TEST TRENCH INVESTIGATIONS SOUTH DAYTON DUMP AND LANDFILL SITE MORAINE, OHIO

Test Pit/ Test Trench	Test Pit/Test Trench Excavation Date	Sample ID	Sample Depth (ft)	1	Waste Types	Depth to Water (ft bgs)	Water Elevation (ft amsl)	Excavation Depth (ft bgs)	Bottom Elevation (ft amsl)	Maximum PID Reading (ppm)
TT20	October 7, 2008 October 8, 2008	S-38443-100708-KMV-065/LD S-38443-100708-KMV-064/LD S-38443-100808-KMV-071	15	compact, fine grained, poorly graded, moist, dark black/brown sand fill 0-10 ft, fine grained, poorly graded dark brown sand fill with some silt 10-19 ft, fine grained, poorly graded gray sand fill 19-25 ft	bricks, glass, piece of metal, plastic and metallic sand	NA	NA	25		00
TT21	October 8, 2008	5-38443-100808-KMV-070 /D 5-38443-100808-KMV-068 /D 5-38443-100808-KMV-069 /D	7 8 21	gray/black sand and gravel fill 0-3 ft, compact, fine grained, poorly graded, moist, gray sand with a slight odor 3-22 ft, medium to coarse grained, well graded, moist, brown sand and	concrete pad, brick, glass, pieces of scrap metal, wire, small pieces of concrete, wood blocks, gear parts, spark plugs, springs, metal pail, iron bar and slag	NA	NA	26		66 2
TT22	October 8, 2008	5-38443-100808-KMV-066 /D 5-38443-100808-KMV-067 /D	6 21	moist, black sand and gravel with odor 6"-6 ft, fine grained,	brick, wood, concrete, plywood, electrical wiring, scrap metal, slag and glass	NA	NA	25 7		91.4
TT23	October 6, 2008	S-38443-100608-KMV-052 /D S-38443-100608-KMV-053 /D	7	compact, fine grained, poorly graded, moist, gray/black sand and gravel fill with come silt 0-12 ft, medium to coarse grained, well graded, moist, brown sand and gravel with cobble 12-22 ft	scrap metal and glass	NA	NA	22		0.0









